This page is not part of the pamphlet!

WO 02-40673 2/2

Date: 23 may 2002

Destination: Agent

ý.		
÷		
5.		,

	DEX0285_163	Antige	enicity Index(Jameson-Wolf)
	positions	AI avg	g length
	10-24	1.21	15
	DEX0285_167	Antige	enicity Index(Jameson-Wolf)
5	positions	AI avg	g length
	35-54	1.30	20
	DEX0285_169	Antige	enicity Index(Jameson-Wolf)
	positions	AI avg	g length
	92-104	1.03	13
10	DEX0285_183	Antige	enicity Index(Jameson-Wolf)
	positions	AI avg	g length
	14-56	1.12	43
	DEX0285_184	Antige	enicity Index(Jameson-Wolf)
	positions	AI avg	g length
15	76-85	1.08	10
	DEX0285_196	Antige	enicity Index(Jameson-Wolf)
	positions	AI avg	length
	14-28	1.10	15
	DEX0285_197	Antige	enicity Index(Jameson-Wolf)
20	positions	AI avg	g length
	82-104	1.27	23
	57-69	1.27	13
	138-151	1.21	14
	111-131	1.06	21
25	DEX0285_199	Antige	enicity Index(Jameson-Wolf)
	positions	AI avg	g length
	5-19	1.01	15
	DEX0285_203	Antige	enicity Index(Jameson-Wolf)
	positions	AI avg	g length
30	36-46	1.00	11
	In addition, the follow	ving hel	lical regions were also assigned:
	DEX0275_33 PredH	el=1	Topology=i69-91o

WO 02/40673 PCT/US01/45180

-128-

DEX0275_42 PredHel=1 Topology=i7-290
DEX0275_44 PredHel=1 Topology=i7-260
DEX0275_47 PredHel=1 Topology=i44-660
DEX0275_48 PredHel=1 Topology=o20-42i

5

10

15

20

25

30

Example 6: Method of Determining Alterations in a Gene Corresponding to a Polynucleotide

RNA is isolated from individual patients or from a family of individuals that have a phenotype of interest. cDNA is then generated from these RNA samples using protocols known in the art. See, Sambrook (2001), supra. The cDNA is then used as a template for PCR, employing primers surrounding regions of interest in SEQ ID NO: 1 through 29. Suggested PCR conditions consist of 35 cycles at 95°C for 30 seconds; 60-120 seconds at 52-58°C; and 60-120 seconds at 70°C, using buffer solutions described in Sidransky et al., Science 252(5006): 706-9 (1991). See also Sidransky et al., Science 278(5340): 1054-9 (1997).

PCR products are then sequenced using primers labeled at their 5' end with T4 polynucleotide kinase, employing SequiTherm Polymerase. (Epicentre Technologies). The intron-exon borders of selected exons is also determined and genomic PCR products analyzed to confirm the results. PCR products harboring suspected mutations are then cloned and sequenced to validate the results of the direct sequencing. PCR products is cloned into T-tailed vectors as described in Holton et al., Nucleic Acids Res., 19: 1156 (1991) and sequenced with T7 polymerase (United States Biochemical). Affected individuals are identified by mutations not present in unaffected individuals.

Genomic rearrangements may also be determined. Genomic clones are nick-translated with digoxigenin deoxyuridine 5' triphosphate (Boehringer Manheim), and FISH is performed as described in Johnson et al., Methods Cell Biol. 35: 73-99 (1991). Hybridization with the labeled probe is carried out using a vast excess of human cot-1 DNA for specific hybridization to the corresponding genomic locus.

Chromosomes are counterstained with 4,6-diamino-2-phenylidole and propidium iodide, producing a combination of C-and R-bands. Aligned images for precise mapping are obtained using a triple-band filter set (Chroma Technology, Brattleboro, VT) in combination with a cooled charge-coupled device camera (Photometrics, Tucson, AZ)

and variable excitation wavelength filters. *Id.* Image collection, analysis and chromosomal fractional length measurements are performed using the ISee Graphical Program System. (Inovision Corporation, Durham, NC.) Chromosome alterations of the genomic region hybridized by the probe are identified as insertions, deletions, and translocations. These alterations are used as a diagnostic marker for an associated disease.

Example 7: Method of Detecting Abnormal Levels of a Polypeptide in a Biological Sample

Antibody-sandwich ELISAs are used to detect polypeptides in a sample,

preferably a biological sample. Wells of a microtiter plate are coated with specific
antibodies, at a final concentration of 0.2 to 10 µg/ml. The antibodies are either
monoclonal or polyclonal and are produced by the method described above. The wells
are blocked so that non-specific binding of the polypeptide to the well is reduced. The
coated wells are then incubated for > 2 hours at RT with a sample containing the

polypeptide. Preferably, serial dilutions of the sample should be used to validate results.
The plates are then washed three times with deionized or distilled water to remove
unbound polypeptide. Next, 50 µl of specific antibody-alkaline phosphatase conjugate,
at a concentration of 25-400 ng, is added and incubated for 2 hours at room temperature.
The plates are again washed three times with deionized or distilled water to remove
unbound conjugate. 75 µl of 4-methylumbelliferyl phosphate (MUP) or p-nitrophenyl
phosphate (NPP) substrate solution are added to each well and incubated 1 hour at room
temperature.

The reaction is measured by a microtiter plate reader. A standard curve is prepared, using serial dilutions of a control sample, and polypeptide concentrations are plotted on the X-axis (log scale) and fluorescence or absorbance on the Y-axis (linear scale). The concentration of the polypeptide in the sample is calculated using the standard curve.

Example 8: Formulating a Polypeptide

The secreted polypeptide composition will be formulated and dosed in a fashion consistent with good medical practice, taking into account the clinical condition of the individual patient (especially the side effects of treatment with the secreted polypeptide

15

20

30

alone), the site of delivery, the method of administration, the scheduling of administration, and other factors known to practitioners. The "effective amount" for purposes herein is thus determined by such considerations.

As a general proposition, the total pharmaceutically effective amount of secreted polypeptide administered parenterally per dose will be in the range of about 1, $\mu g/kg/day$ to 10 mg/kg/day of patient body weight, although, as noted above, this will be subject to therapeutic discretion. More preferably, this dose is at least 0.01 mg/kg/day, and most preferably for humans between about 0.01 and 1 mg/kg/day for the hormone. If given continuously, the secreted polypeptide is typically administered at a dose rate of about 1 $\mu g/kg/hour$ to about 50 mg/kg/hour, either by 1-4 injections per day or by continuous subcutaneous infusions, for example, using a mini-pump. An intravenous bag solution may also be employed. The length of treatment needed to observe changes and the interval following treatment for responses to occur appears to vary depending on the desired effect.

Pharmaceutical compositions containing the secreted protein of the invention are administered orally, rectally, parenterally, intracistemally, intravaginally, intraperitoneally, topically (as by powders, ointments, gels, drops or transdermal patch), bucally, or as an oral or nasal spray. "Pharmaceutically acceptable carrier" refers to a non-toxic solid, semisolid or liquid filler, diluent, encapsulating material or formulation auxiliary of any type. The term "parenteral" as used herein refers to modes of administration which include intravenous, intramuscular, intraperitoneal, intrastemal, subcutaneous and intraarticular injection and infusion.

The secreted polypeptide is also suitably administered by sustained-release systems. Suitable examples of sustained-release compositions include semipermeable polymer matrices in the form of shaped articles, e. g., films, or microcapsules. Sustained-release matrices include polylactides (U. S. Pat. No.3,773,919, EP 58,481), copolymers of L-glutamic acid and gamma-ethyl-L-glutamate (Sidman, U. et al., Biopolymers 22: 547-556 (1983)), poly (2-hydroxyethyl methacrylate) (R. Langer et al., J. Biomed. Mater. Res. 15: 167-277 (1981), and R. Langer, Chem. Tech. 12: 98-105 (1982)), ethylene vinyl acetate (R. Langer et al.) or poly-D- (-)-3-hydroxybutyric acid (EP 133,988). Sustained-release compositions also include liposomally entrapped polypeptides. Liposomes containing the secreted polypeptide are prepared by methods known per se: DE Epstein

15

20

25

et al., Proc. Natl. Acad. Sci. USA 82: 3688-3692 (1985); Hwang et al., Proc. Natl. Acad. Sci. USA 77: 4030-4034 (1980); EP 52,322; EP 36,676; EP 88,046; EP 143,949; EP 142,641; Japanese Pat. Appl. 83-118008; U. S. Pat. Nos. 4,485,045 and 4,544,545; and EP 102,324. Ordinarily, the liposomes are of the small (about 200-800 Angstroms) unilamellar type in which the lipid content is greater than about 30 mol. percent cholesterol, the selected proportion being adjusted for the optimal secreted polypeptide therapy.

For parenteral administration, in one embodiment, the secreted polypeptide is formulated generally by mixing it at the desired degree of purity, in a unit dosage injectable form (solution, suspension, or emulsion), with a pharmaceutically acceptable carrier, I. e., one that is non-toxic to recipients at the dosages and concentrations employed and is compatible with other ingredients of the formulation.

For example, the formulation preferably does not include oxidizing agents and other compounds that are known to be deleterious to polypeptides. Generally, the formulations are prepared by contacting the polypeptide uniformly and intimately with liquid carriers or finely divided solid carriers or both. Then, if necessary, the product is shaped into the desired formulation. Preferably the carrier is a parenteral carrier, more preferably a solution that is isotonic with the blood of the recipient. Examples of such carrier vehicles include water, saline, Ringer's solution, and dextrose solution. Non-aqueous vehicles such as fixed oils and ethyl oleate are also useful herein, as well as liposomes.

The carrier suitably contains minor amounts of additives such as substances that enhance isotonicity and chemical stability. Such materials are non-toxic to recipients at the dosages and concentrations employed, and include buffers such as phosphate, citrate, succinate, acetic acid, and other organic acids or their salts; antioxidants such as ascorbic acid; low molecular weight (less than about ten residues) polypeptides, e. g., polyarginine or tripeptides; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids, such as glycine, glutamic acid, aspartic acid, or arginine; monosaccharides, disaccharides, and other carbohydrates including cellulose or its derivatives, glucose, manose, or dextrins; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; counterions such as sodium; and/or nonionic surfactants such as polysorbates, poloxamers, or PEG.

10

25

The secreted polypeptide is typically formulated in such vehicles at a concentration of about 0.1 mg/ml to 100 mg/ml, preferably 1-10 mg/ml, at a pH of about 3 to 8. It will be understood that the use of certain of the foregoing excipients, carriers, or stabilizers will result in the formation of polypeptide salts.

Any polypeptide to be used for therapeutic administration can be sterile. Sterility is readily accomplished by filtration through sterile filtration membranes (e. g., 0.2 micron membranes). Therapeutic polypeptide compositions generally are placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.

Polypeptides ordinarily will be stored in unit or multi-dose containers, for example, sealed ampules or vials, as an aqueous solution or as a lyophilized formulation for reconstitution. As an example of a lyophilized formulation, 10-ml vials are filled with 5 ml of sterile-filtered 1 % (w/v) aqueous polypeptide solution, and the resulting mixture is lyophilized. The infusion solution is prepared by reconstituting the lyophilized polypeptide using bacteriostatic Water-for-Injection.

The invention also provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the pharmaceutical compositions of the invention. Associated with such container (s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of 20 pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use or sale for human administration. In addition, the polypeptides of the present invention may be employed in conjunction with other therapeutic compounds.

Example 9: Method of Treating Decreased Levels of the Polypeptide

It will be appreciated that conditions caused by a decrease in the standard or normal expression level of a secreted protein in an individual can be treated by administering the polypeptide of the present invention, preferably in the secreted form. Thus, the invention also provides a method of treatment of an individual in need of an increased level of the polypeptide comprising administering to such an individual a pharmaceutical composition comprising an amount of the polypeptide to increase the activity level of the polypeptide in such an individual. 30

For example, a patient with decreased levels of a polypeptide receives a daily dose $0.1-100 \mu g/kg$ of the polypeptide for six consecutive days. Preferably, the

20

polypeptide is in the secreted form. The exact details of the dosing scheme, based on administration and formulation, are provided above.

Example 10: Method of Treating Increased Levels of the Polypeptide

Antisense technology is used to inhibit production of a polypeptide of the present invention. This technology is one example of a method of decreasing levels of a polypeptide, preferably a secreted form, due to a variety of etiologies, such as cancer.

For example, a patient diagnosed with abnormally increased levels of a polypeptide is administered intravenously antisense polynucleotides at 0.5, 1.0, 1.5, 2.0 and 3.0 mg/kg day for 21 days. This treatment is repeated after a 7-day rest period if the treatment was well tolerated. The formulation of the antisense polynucleotide is provided above.

Example 11: Method of Treatment Using Gene Therapy

One method of gene therapy transplants fibroblasts, which are capable of expressing a polypeptide, onto a patient. Generally, fibroblasts are obtained from a subject by skin biopsy. The resulting tissue is placed in tissue-culture medium and separated into small pieces. Small chunks of the tissue are placed on a wet surface of a tissue culture flask, approximately ten pieces are placed in each flask. The flask is turned upside down, closed tight and left at room temperature over night. After 24 hours at room temperature, the flask is inverted and the chunks of tissue remain fixed to the bottom of the flask and fresh media (e. g., Ham's F12 media, with 10% FBS, penicillin and streptomycin) is added. The flasks are then incubated at 37°C for approximately one week.

At this time, fresh media is added and subsequently changed every several days. After an additional two weeks in culture, a monolayer of fibroblasts emerge. The monolayer is trypsinized and scaled into larger flasks. pMV-7 (Kirschmeier, P. T. et al., DNA, 7: 219-25 (1988)), flanked by the long terminal repeats of the Moloney murine sarcoma virus, is digested with EcoRI and HindIII and subsequently treated with calf intestinal phosphatase. The linear vector is fractionated on agarose gel and purified, using glass beads.

30 The cDNA encoding a polypeptide of the present invention can be amplified using PCR primers which correspond to the 5'and 3'end sequences respectively as set forth in Example 1. Preferably, the 5'primer contains an EcoRI site and the 3'primer

includes a HindIII site. Equal quantities of the Moloney murine sarcoma virus linear backbone and the amplified EcoRI and HindIII fragment are added together, in the presence of T4 DNA ligase. The resulting mixture is maintained under conditions appropriate for ligation of the two fragments. The ligation mixture is then used to transform bacteria HB 101, which are then plated onto agar containing kanamycin for the purpose of confirming that the vector has the gene of interest properly inserted.

The amphotropic pA317 or GP+aml2 packaging cells are grown in tissue culture to confluent density in Dulbecco's Modified Eagles Medium (DMEM) with 10% calf serum (CS), penicillin and streptomycin. The MSV vector containing the gene is then added to the media and the packaging cells transduced with the vector. The packaging cells now produce infectious viral particles containing the gene (the packaging cells are now referred to as producer cells).

Fresh media is added to the transduced producer cells, and subsequently, the media is harvested from a 10 cm plate of confluent producer cells. The spent media, containing the infectious viral particles, is filtered through a millipore filter to remove detached producer cells and this media is then used to infect fibroblast cells. Media is removed from a sub-confluent plate of fibroblasts and quickly replaced with the media from the producer cells. This media is removed and replaced with fresh media.

If the titer of virus is high, then virtually all fibroblasts will be infected and no selection is required. If the titer is very low, then it is necessary to use a retroviral vector that has a selectable marker, such as neo or his. Once the fibroblasts have been efficiently infected, the fibroblasts are analyzed to determine whether protein is produced.

The engineered fibroblasts are then transplanted onto the host, either alone or after having been grown to confluence on cytodex 3 microcarrier beads.

25 Example 12: Method of Treatment Using Gene Therapy-In Vivo

20

30

Another aspect of the present invention is using *in vivo* gene therapy methods to treat disorders, diseases and conditions. The gene therapy method relates to the introduction of naked nucleic acid (DNA, RNA, and antisense DNA or RNA) sequences into an animal to increase or decrease the expression of the polypeptide.

The polynucleotide of the present invention may be operatively linked to a promoter or any other genetic elements necessary for the expression of the polypeptide by the target tissue. Such gene therapy and delivery techniques and methods are known

25

in the art, see, for example, W0 90/11092, W0 98/11779; U. S. Patent 5,693,622;
5,705,151; 5,580,859; Tabata H. et al. (1997) Cardiovasc. Res. 35 (3): 470-479, Chao J et al. (1997) Pharmacol. Res. 35 (6): 517-522, Wolff J. A. (1997) Neuromuscul. Disord. 7 (5): 314-318, Schwartz B. et al. (1996) Gene Ther. 3 (5): 405-411, Tsurumi Y. et al.
(1996) Circulation 94 (12): 3281-3290 (incorporated herein by reference).

The polynucleotide constructs may be delivered by any method that delivers injectable materials to the cells of an animal, such as, injection into the interstitial space of tissues (heart, muscle, skin, lung, liver, intestine and the like). The polynucleotide constructs can be delivered in a pharmaceutically acceptable liquid or aqueous carrier.

The term "naked" polynucleotide, DNA or RNA, refers to sequences that are free from any delivery vehicle that acts to assist, promote, or facilitate entry into the cell, including viral sequences, viral particles, liposome formulations, lipofectin or precipitating agents and the like. However, the polynucleotides of the present invention may also be delivered in liposome formulations (such as those taught in Felgner P. L. et al. (1995) Ann. NY Acad. Sci. 772: 126-139 and Abdallah B. et al. (1995) Biol. Cell 85 (1): 1-7) which can be prepared by methods well known to those skilled in the art.

The polynucleotide vector constructs used in the gene therapy method are preferably constructs that will not integrate into the host genome nor will they contain sequences that allow for replication. Any strong promoter known to those skilled in the art can be used for driving the expression of DNA. Unlike other gene therapies techniques, one major advantage of introducing naked nucleic acid sequences into target cells is the transitory nature of the polynucleotide synthesis in the cells. Studies have shown that non-replicating DNA sequences can be introduced into cells to provide production of the desired polypeptide for periods of up to six months.

The polynucleotide construct can be delivered to the interstitial space of tissues within the an animal, including of muscle, skin, brain, lung, liver, spleen, bone marrow, thymus, heart, lymph, blood, bone, cartilage, pancreas, kidney, gall bladder, stomach, intestine, testis, ovary, uterus, rectum, nervous system, eye, gland, and connective tissue. Interstitial space of the tissues comprises the intercellular fluid, mucopolysaccharide matrix among the reticular fibers of organ tissues, elastic fibers in the walls of vessels or chambers, collagen fibers of fibrous tissues, or that same matrix within connective tissue ensheathing muscle cells or in the lacunae of bone. It is similarly the space occupied by

25

30

the plasma of the circulation and the lymph fluid of the lymphatic channels. Delivery to the interstitial space of muscle tissue is preferred for the reasons discussed below. They may be conveniently delivered by injection into the tissues comprising these cells. They are preferably delivered to and expressed in persistent, non-dividing cells which are differentiated, although delivery and expression may be achieved in non-differentiated or less completely differentiated cells, such as, for example, stem cells of blood or skin fibroblasts. In vivo muscle cells are particularly competent in their ability to take up and express polynucleotides.

For the naked polynucleotide injection, an effective dosage amount of DNA or 10 RNA will be in the range of from about 0.05 μg/kg body weight to about 50 mg/kg body weight. Preferably the dosage will be from about 0.005 mg/kg to about 20 mg/kg and more preferably from about 0.05 mg/kg to about 5 mg/kg. Of course, as the artisan of ordinary skill will appreciate, this dosage will vary according to the tissue site of injection. The appropriate and effective dosage of nucleic acid sequence can readily be determined by those of ordinary skill in the art and may depend on the condition being treated and the route of administration. The preferred route of administration is by the parenteral route of injection into the interstitial space of tissues. However, other parenteral routes may also be used, such as, inhalation of an aerosol formulation particularly for delivery to lungs or bronchial tissues, throat or mucous membranes of the nose. In addition, naked polynucleotide constructs can be delivered to arteries during 20 angioplasty by the catheter used in the procedure.

The dose response effects of injected polynucleotide in muscle in vivo is determined as follows. Suitable template DNA for production of mRNA coding for polypeptide of the present invention is prepared in accordance with a standard recombinant DNA methodology. The template DNA, which may be either circular or linear, is either used as naked DNA or complexed with liposomes. The quadriceps muscles of mice are then injected with various amounts of the template DNA.

Five to six week old female and male Balb/C mice are anesthetized by intraperitoneal injection with 0.3 ml of 2.5% Avertin. A 1.5 cm incision is made on the anterior thigh, and the quadriceps muscle is directly visualized. The template DNA is injected in 0.1 ml of carrier in a 1 cc syringe through a 27 gauge needle over one minute, approximately 0.5 cm from the distal insertion site of the muscle into the knee and about

15

0.2 cm deep. A suture is placed over the injection site for future localization, and the skin is closed with stainless steel clips.

After an appropriate incubation time (e. g., 7 days) muscle extracts are prepared by excising the entire quadriceps. Every fifth 15 um cross-section of the individual quadriceps muscles is histochemically stained for protein expression. A time course for protein expression may be done in a similar fashion except that quadriceps from different mice are harvested at different times. Persistence of DNA in muscle following injection may be determined by Southern blot analysis after preparing total cellular DNA and HIRT supernatants from injected and control mice.

The results of the above experimentation in mice can be use to extrapolate proper dosages and other treatment parameters in humans and other animals using naked DNA. Example 13: Transgenic Animals

The polypeptides of the invention can also be expressed in transgenic animals. Animals of any species, including, but not limited to, mice, rats, rabbits, hamsters, guinea pigs, pigs, micro-pigs, goats, sheep, cows and non-human primates, e. g., baboons, monkeys, and chimpanzees may be used to generate transgenic animals. In a specific embodiment, techniques described herein or otherwise known in the art, are used to express polypeptides of the invention in humans, as part of a gene therapy protocol.

Any technique known in the art may be used to introduce the transgene (i. e., polynucleotides of the invention) into animals to produce the founder lines of transgenic 20 animals. Such techniques include, but are not limited to, pronuclear microinjection (Paterson et al., Appl. Microbiol. Biotechnol. 40: 691-698 (1994); Carver et al., Biotechnology (NY) 11: 1263-1270 (1993); Wright et al., Biotechnology (NY) 9: 830-834 (1991); and Hoppe et al., U. S. Patent 4,873,191 (1989)); retrovirus mediated gene transfer into germ lines (Van der Putten et al., Proc. Natl. Acad. Sci., USA 82: 6148-6152 (1985)), blastocysts or embryos; gene targeting in embryonic stem cells (Thompson et al., Cell 56: 313-321 (1989)); electroporation of cells or embryos (Lo, 1983, Mol Cell. Biol. 3: 1803-1814 (1983)); introduction of the polynucleotides of the invention using a gene gun (see, e. g., Ulmer et al., Science 259: 1745 (1993); introducing nucleic acid 30 constructs into embryonic pleuripotent stem cells and transferring the stem cells back into the blastocyst; and sperm mediated gene transfer (Lavitrano et al., Cell 57: 717-723 (1989); etc. For a review of such techniques, see Gordon, "Transgenic Animals," Intl.

15

20

25

30

Rev. Cytol. 115: 171-229 (1989), which is incorporated by reference herein in its entirety.

-138-

Any technique known in the art may be used to produce transgenic clones containing polynucleotides of the invention, for example, nuclear transfer into enucleated oocytes of nuclei from cultured embryonic, fetal, or adult cells induced to quiescence (Campell et al., Nature 380: 64-66 (1996); Wilmut et al., Nature 385: 810813 (1997)).

The present invention provides for transgenic animals that carry the transgene in all their cells, as well as animals which carry the transgene in some, but not all their cells, I. e., mosaic animals or chimeric. The transgene may be integrated as a single transgene or as multiple copies such as in concatamers, e. g., head-to-head tandems or head-to-tail tandems. The transgene may also be selectively introduced into and activated in a particular cell type by following, for example, the teaching of Lasko et al. (Lasko et al., Proc. Natl. Acad. Sci. USA 89: 6232-6236 (1992)). The regulatory sequences required for such a cell-type specific activation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art. When it is desired that the polynucleotide transgene be integrated into the chromosomal site of the endogenous gene, gene targeting is preferred. Briefly, when such a technique is to be utilized, vectors containing some nucleotide sequences homologous to the endogenous gene are designed for the purpose of integrating, via homologous recombination with chromosomal sequences, into and disrupting the function of the nucleotide sequence of the endogenous gene. The transgene may also be selectively introduced into a particular cell type, thus inactivating the endogenous gene in only that cell type, by following, for example, the teaching of Gu et al. (Gu et al., Science 265: 103-106 (1994)). The regulatory sequences required for such a cell-type specific inactivation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art.

Once transgenic animals have been generated, the expression of the recombinant gene may be assayed utilizing standard techniques. Initial screening may be accomplished by Southern blot analysis or PCR techniques to analyze animal tissues to verify that integration of the transgene has taken place. The level of mRNA expression of the transgene in the tissues of the transgenic animals may also be assessed using techniques which include, but are not limited to, Northern blot analysis of tissue samples obtained from the animal, in situ hybridization analysis, and reverse transcriptase-PCR

:

(rt-PCR). Samples of transgenic gene-expressing tissue may also be evaluated immunocytochemically or immunohistochemically using antibodies specific for the transgene product.

Once the founder animals are produced, they may be bred, inbred, outbred, or crossbred to produce colonies of the particular animal. Examples of such breeding strategies include, but are not limited to: outbreeding of founder animals with more than one integration site in order to establish separate lines; inbreeding of separate lines in order to produce compound transgenics that express the transgene at higher levels because of the effects of additive expression of each transgene; crossing of heterozygous transgenic animals to produce animals homozygous for a given integration site in order to both augment expression and eliminate the need for screening of animals by DNA analysis; crossing of separate homozygous lines to produce compound heterozygous or homozygous lines; and breeding to place the transgene on a distinct background that is appropriate for an experimental model of interest.

Transgenic animals of the invention have uses which include, but are not limited to, animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

20 Example 14: Knock-Out Animals

Endogenous gene expression can also be reduced by inactivating or "knocking out" the gene and/or its promoter using targeted homologous recombination. (E. g., see Smithies et al., Nature 317: 230-234 (1985); Thomas & Capecchi, Cell 51: 503512 (1987); Thompson et al., Cell 5: 313-321 (1989); each of which is incorporated by reference herein in its entirety). For example, a mutant, non-functional polynucleotide of the invention (or a completely unrelated DNA sequence) flanked by DNA homologous to the endogenous polynucleotide sequence (either the coding regions or regulatory regions of the gene) can be used, with or without a selectable marker and/or a negative selectable marker, to transfect cells that express polypeptides of the invention *in vivo*. In another embodiment, techniques known in the art are used to generate knockouts in cells that contain, but do not express the gene of interest. Insertion of the DNA construct, via targeted homologous recombination, results in inactivation of the targeted gene. Such

-140-

approaches are particularly suited in research and agricultural fields where modifications to embryonic stem cells can be used to generate animal offspring with an inactive targeted gene (e. g., see Thomas & Capecchi 1987 and Thompson 1989, supra). However this approach can be routinely adapted for use in humans provided the recombinant DNA constructs are directly administered or targeted to the required site in vivo using appropriate viral vectors that will be apparent to those of skill in the art.

In further embodiments of the invention, cells that are genetically engineered to express the polypeptides of the invention, or alternatively, that are genetically engineered not to express the polypeptides of the invention (e. g., knockouts) are administered to a patient in vivo. Such cells may be obtained from the patient (I. e., animal, including human) or an MHC compatible donor and can include, but are not limited to fibroblasts, bone marrow cells, blood cells-(e. g., lymphocytes), adipocytes, muscle cells, endothelial cells etc. The cells are genetically engineered in vitro using recombinant DNA techniques to introduce the coding sequence of polypeptides of the invention into the cells, or alternatively, to disrupt the coding sequence and/or endogenous regulatory sequence associated with the polypeptides of the invention, e. g., by transduction (using viral vectors, and preferably vectors that integrate the transgene into the cell genome) or transfection procedures, including, but not limited to, the use of plasmids, cosmids, YACs, naked DNA, electroporation, liposomes, etc.

15

20

25

30

The coding sequence of the polypeptides of the invention can be placed under the control of a strong constitutive or inducible promoter or promoter/enhancer to achieve expression, and preferably secretion, of the polypeptides of the invention. The engineered cells which express and preferably secrete the polypeptides of the invention can be introduced into the patient systemically, e. g., in the circulation, or intraperitoneally.

Alternatively, the cells can be incorporated into a matrix and implanted in the body, e. g., genetically engineered fibroblasts can be implanted as part of a skin graft; genetically engineered endothelial cells can be implanted as part of a lymphatic or vascular graft. (See, for example, Anderson et al. U. S. Patent 5,399,349; and Mulligan & Wilson, U. S. Patent 5,460,959 each of which is incorporated by reference herein in its entirety).

When the cells to be administered are non-autologous or non-MHC compatible cells, they can be administered using well known techniques which prevent the

WO 02/40673 PCT/US01/45180

5

10

15

development of a host immune response against the introduced cells. For example, the cells may be introduced in an encapsulated form which, while allowing for an exchange of components with the immediate extracellular environment, does not allow the introduced cells to be recognized by the host immune system.

Transgenic and "knock-out" animals of the invention have uses which include, but are not limited to, animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

All patents, patent publications, and other published references mentioned herein are hereby incorporated by reference in their entireties as if each had been individually and specifically incorporated by reference herein. While preferred illustrative embodiments of the present invention are described, one skilled in the art will appreciate that the present invention can be practiced by other than the described embodiments, which are presented for purposes of illustration only and not by way of limitation. The present invention is limited only by the claims that follow.

WO 02/40673

-142-

CLAIMS

We claim:

- 1. An isolated nucleic acid molecule comprising
- (a) a nucleic acid molecule comprising a nucleic acid sequence that encodes an amino acid sequence of SEQ ID NO: 30 through 55;
 - (b) a nucleic acid molecule comprising a nucleic acid sequence of SEQ ID NO: 1 through 29;
 - (c) a nucleic acid molecule that selectively hybridizes to the nucleic acid molecule of (a) or (b); or
 - (d) a nucleic acid molecule having at least 60% sequence identity to the nucleic acid molecule of (a) or (b).
 - 2. The nucleic acid molecule according to claim 1, wherein the nucleic acid molecule is a cDNA.

15

10

- 3. The nucleic acid molecule according to claim 1, wherein the nucleic acid molecule is genomic DNA.
- 4. The nucleic acid molecule according to claim 1, wherein the nucleic acid molecule is a mammalian nucleic acid molecule.
 - 5. The nucleic acid molecule according to claim 4, wherein the nucleic acid molecule is a human nucleic acid molecule.
- 6. A method for determining the presence of a lung specific nucleic acid (LSNA) in a sample, comprising the steps of:
 - (a) contacting the sample with the nucleic acid molecule according to claim 1 under conditions in which the nucleic acid molecule will selectively hybridize to a lung specific nucleic acid; and
- 30 (b) detecting hybridization of the nucleic acid molecule to a LSNA in the sample, wherein the detection of the hybridization indicates the presence of a LSNA in the sample.

- 7. A vector comprising the nucleic acid molecule of claim 1.
- 8. A host cell comprising the vector according to claim 7.

9. A method for producing a polypeptide encoded by the nucleic acid molecule according to claim 1, comprising the steps of (a) providing a host cell comprising the nucleic acid molecule operably linked to one or more expression control sequences, and (b) incubating the host cell under conditions in which the polypeptide is produced.

10

25

- 10. A polypeptide encoded by the nucleic acid molecule according to claim 1.
- 11. An isolated polypeptide selected from the group consisting of:
- (a) a polypeptide comprising an amino acid sequence with at least 60% sequence identity to of SEQ ID NO: 30 through 55; or
 - (b) a polypeptide comprising an amino acid sequence encoded by a nucleic acid molecule comprising a nucleic acid sequence of SEQ ID NO: 1 through 29.
- 12. An antibody or fragment thereof that specifically binds to the polypeptide 20 according to claim 11.
 - 13. A method for determining the presence of a lung specific protein in a sample, comprising the steps of:
 - (a) contacting the sample with the antibody according to claim 12 under conditions in which the antibody will selectively bind to the lung specific protein; and
 - (b) detecting binding of the antibody to a lung specific protein in the sample, wherein the detection of binding indicates the presence of a lung specific protein in the sample.
- 30. 14. A method for diagnosing and monitoring the presence and metastases of lung cancer in a patient, comprising the steps of:

WO 02/40673 PCT/US01/45180

-144-

- (a) determining an amount of the nucleic acid molecule of claim 1 or a polypeptide of claim 6 in a sample of a patient; and
- (b) comparing the amount of the determined nucleic acid molecule or the polypeptide in the sample of the patient to the amount of the lung specific marker in a normal control; wherein a difference in the amount of the nucleic acid molecule or the polypeptide in the sample compared to the amount of the nucleic acid molecule or the polypeptide in the normal control is associated with the presence of lung cancer.
- 15. A kit for detecting a risk of cancer or presence of cancer in a patient, said
 kit comprising a means for determining the presence the nucleic acid molecule of claim 1
 or a polypeptide of claim 6 in a sample of a patient.
- 16. A method of treating a patient with lung cancer, comprising the step of administering a composition according to claim 12 to a patient in need thereof, wherein
 15 said administration induces an immune response against the lung cancer cell expressing the nucleic acid molecule or polypeptide.
 - 17. A vaccine comprising the polypeptide or the nucleic acid encoding the polypeptide of claim 11.

1

SEQUENCE LISTING

<110> Macina, Roberto Recipon, Herve Chen, Sei-Yu Sun, Yongming Liu, Chenghua Turner, Leah diaDexus, Inc. <120> Compositions and Methods Relating to Lung Specific Genes and Proteins <130> DEX-0276 <150> 60/252,055 <151> 2000-11-20 <150> 60/252,496 <151> 2000-11-22 <160> 55 <170> PatentIn version 3.1 <210> 1 <211> 1557 <212> DNA <213> Homo sapien <400> 1 60 tgagaacaaa gtggtgccct gtggcctagg ctaaagtgca ggggcacaac tctcggcaca 120 ccgcaacctt cgcctcccga ggttcaagtg aatctcctcc tgtgcctaag cgctccgtga 180 agttagcgtg ggattcacga ggccaccgtg cccaccagtg cctcagctat ttttttaaaa 240 aattatttta agatagaaga cacgagggtt tetegecaat gttgtggeeg aggettagte 300 tetetegaae aceteetgta cacetetega ggtgtgacae tegtegeegt egeeteteag 360 agcetetece aaagagtgtg egtggagaaa tacaceggge gtgtgaaege cacaceaagt 420 gtcctgtggc ccttatacat tatattatat aaacaagtga gagaggaaca caaacatgtg 480 aaattataat gtgcacccca ccaatgtgtg tataaggcgc gctgtgcgct ctctgtgaac 540 accagaacat ctgtgttaac gtgtgtgcgc gccccaacgc ttgtgcgcgt atacacctca 600 gtggctccat tacgctgtgt tattcatccc cgtgtgttgt gttgtacacc atttgtqtqt 660 atatctcgcc ggcctctccc accaagaatt ctccccaaca acacaacaat tttcagaaac 720 ccacaacggt gggtaaaaca cagaacaata gaacaactca aaaaacaaca acaatacacc 780

acaaaaaaaa aaaaaacaca aacaacagca aaataccaac aaactaacct aaaaccacac

cataatcaaa	atattaacaa	aaaaaacat	actcaacaca	aataccaaaa	cacacaca	900
gaatcatata	ccaccaatat	aatatataca	taaaataaaa	ctatccacac	aaaaaccaat	960
taatacataa	aataatttaa	tcatcaataa	taacatctac	agacaaaaat	gcctacctca	1020
caaatcaaaa	taaaaaacac	aattaactac	aaactaaaac	actaactaag	caacaaaaat	1080
aaataacaaa	aaataactac	aaaaatcaaa	acaataagaa	cgaacacaac	aacactaaaa	1140
atcaaacaca	aataaagaca	aaacaaaca	atcaaaaaca	caaaaacaaa	acaacaacac	1200
acaaaccaaa	cacaaaaaca	caactaacaa	ctcaaaacta	actaaaaaca	caacaaaaca	1260
caacaaaaac	aaaaaaataa	gaaataaaat	acatcaataa	aaaaacatga	gcaatccaaa	1320
catgtataat	atacaccaga	acaatattac	acaaaactta	aacatataac	taaacaaaca	1380
caaaaaacat	aataatagac	acactaacaa	cccatcaagc	cacaaacaag	cacaaacaaa	1440
agagacaaac	caacaactac	catcaacaaa	caaaaaagca	caaactaaaa	aataaaatta	1500
ataaaacata	atactcttca	tctctctaaa	aaatctctat	attcacccac	ccacacq	1557

<220>

<400> 2

gtcgcggccg	aggtacaagc	ctttttttt	tttttttt	tttttttta	actttgggtg	60
gaaaaaaaa	aaaggattaa	tttgtgcctt	taggggggcc	tttgaatttc	cctctaaaaa	120
taaaacctcc	aactctcttt	gtgcccctct	atagccacat	tatgccactc	tgtgctctcg	180
gccccacaac	tgtgtcgtcc	cgggtccttt	gaagaggag	tgcagcgaca	aaaagcttgt	240
gcgcggtagt	ccactctcat	gtggtcgtca	tatatgncag	ttgtgtctcc	gcgtgtgtgt	300
gtgtacacat	gtgtgtgtat	atctctcggt	cgctcacaca	tatatctcac	acacacaca	360
caccatatat	agctgttaaa	caaacgagca	catcaaaaaa	aaaataagag	cagtggaaag	420
acgacagcgg	gaacgtaaac	aataaagaat	aaccatattt	caactagctt	actatcacta	480
tacataccac	actaccattt	gtaaaatgca	tattcacatc	agttcaaact	actactacaa	540
cacatcacaa	aacatatcta	tcactacatc	catacacaag	taaaccacaa	ctacactctt	600
caacaccgtt	cacactatcc	aactccaatc	tcacgtaact	acaataactc	aaaaaaaac	660

<210> 2 <211> 2122 <212> DNA

<213> Homo sapien

<221> misc_feature

<222> (277)..(277)

<223> a, c, g or t

aacctcctca	tctacaaatc	actccctcac	ttcattctct	tctaacatcc	aattcaatat	720
caccccaaaa	cgctactatt	atcctctacc	aacacatccc	acacagcctg	ccaccttcct	780
ccactacctc	acttcatcta	cctcatctct	cattccacat	cccatccaat	cactcctgca	840
ttctaccaat	gtccactact	cacacacatc	acaacttagt	ttccaccgac	gacctctaac	900
cattctcccc	taacttctca	ttctacccat	ctctctaata	catgcaatgc	agctctcact	960
ctatatcaca	tacccctcag	ctattcctac	ctataactaa	tcaaaccacc	atcacactca	1020
caacctcaag	taccatcttc	acatcatcga	caccccatat	cactcaccaa	caactatatc	1080
aacaaacact	aattacataa	ctccaattct	tcacacaact	acatataagt	cctacccaac	1140
atcacaggcc	acgactctac	aagctcttac	ccctcacccg	acaaaaaaa	cacgtttcta	1200
attacagaaa	tttgttaaac	ttacaacact	ccatctacta	tcctactcat	cactatcgta	1260
catcccacct	tactactcaa	caatactaat	catcatgtcc	tacaagaatc	aacatacgaa	1320
acaaactgaa	caattcagat	ctctatgcta	ctcgctgcct	gatctgcgtt	cctactgtct	1380
agcctaccct	ccctctactt	atctgtgcta	ctttctctct	aacatacaac	acatacccca	1440
cacaaacatc	acgaatcgat	caacttccca	acaacgcgtc	atatatcact	catctctcac	1500
tgctctcgta	acgatactca	accatccaca	aacttaaata	cactaatcac	ctcctacaca	1560
gtcattcgct	aacagctaac	ttcattctat	catcaactca	cctcaatcac	ataacatagc	1620
cacgcataag	tatagccgca	tcagcgtcca	gctactagtc	taactcactc	acctcccact	1680
tatctctaat	catagtatct	aatctcccgt	catctcaact	ccacagtatc	acttatctac	1740
acatcaaatc	ttctatcgcc	agtattcaga	cattaactac	actaacagca	ctacacctaa	1800
caccgaaact	cactctgacc	tcactgctca	cactactatc	acctctcacc	accactatcg	1860
ctgccactcg	ctcactcgta	ctcgtccact	ctactcgata	ctctcctcta	agaaacatct	1920
cactccatac	acacacctct	cccattcatc	catcaaattc	taactctgat	ctcgcaccct	1980
cccactcct	ccctcctact	cgcccgatcc	cttaccatac	gactctcatc	actcgatcac	2040
actactacac	tactaccgtc	acttgccttc	tccacctatc	tcacatcaac	cattcagctc	2100
cacaatctac	tatctacatc	ca				2122

gcgtggtcgc ggccgaggta cactcgtgac catgattacg tcaaagacat gtcgaatctc 60

<210> 3

<211> 575

<212> DNA

<213> Homo sapien.

<400> 3

tcaaaaatag	ttgtcgtcac	atgaacgcat	aagctaatca	cgtgtgttca	ctgatgctcc	120
cacactagcc	aatcctctca	cacttgttct	ggtttcagac	gtgtccaggt	cggacgtaga	180
gaagggcttc	ggagatctct	agtatctttg	cacacaattc	agggtgctgt	tcatcctaca	240
ccttgcacgc	acgctgtctc	tgtgcagtgc	tcgggtgcag	agccgaacga	gcagtcgtgt	300
gactctagcc	agggtatgcg	gtataggcag	ttaagcaggg	atcgagttac	gcacatacta	360
ctgtgccatg	tgaattagta	gggcctacct	aagcatagtg	caggagcact	ggtgtcaagc	420
taacacatag	attcctgggc	gacatacttg	gtccattcat	gcaagacaag	gttgtcttgt	480
cgagtagatt	tgcatataca	cgcagcagta	gatgccggac	aaactgactc	tgcacaagtt	540
tctggatttc	ttttatttca	cagcaaacac	tttct			575
<210> 4 <211> 596 <212> DNA <213> Hom <400> 4	o sapien					
	ggccgaggta	cgcctgtaat	cccagtgact	tgggaggctg	aggcaggaga	60
atcgcttgaa	cccgggaggc	ggaggttgca	gtgagctaag	atcgcgccac	tgccctccag	120
cctgggcgac	agagcgagac	tccatctcaa	aacacacaca	cacacacaca	cacacacaca	180
cacacacaca	cacacacaca	aagaacctct	atctctcgta	gggccctctc	tctcagcaac	240
cagatgaaga	acgctcgtgg	catcactacc	ccttcctctc	ttctcctcct	ctcctttcac	300
tttcgtggga	tcagggggaa	actgtgctcg	tgggagggca	gggagggtgg	aaaaacgcca	360
cagcgagaga	gggagagata	gtggagacgc	cgaagatgac	atcatgtatt	taagcgaggg	420
aagacatcta	. tgaagtcgat	agtgtgatta	ccacactctt	tccccaatac	tatagagggt	480
ccaaaagagc	gggggcagta	actcggtggg	tcataggcgt	gtctcgctcg	tgtgatgaag	540
agtgttagto	gcgctcacat	agtctccaca	caactatagg	ggaaaaggca	agaggg	596
<210> 5 <211> 786 <212> DNA <213> Hon	1					
<400> 5 ccctcttgco	ttttccccta	tagttgtgtg	g gagactatgt	gagcgcgact	aacactcttc	60
atcacacgaç	g cgagacacgo	ctatgaccca	a ccgagttact	gececegete	ttttggaccc	120
tctatagtai	tggggaaaga	a gtgtggtaat	cacactatco	acttcatage	a tgtcttccct	180

WO 02/40673 PCT/US01/45180

5

cgcttaaata	catgatgtca	tcttcggcgt	ctccactatc	tctccctctc	tcgctgtggc	24
gtttttccac	cctccctgcc	ctcccacgag	cacagtttcc	ccctgatccc	acgaaagtga	30
aaggagagga	ggagaagaga	ggaaggggta	gtgatgccac	gagcgttctt	catctggttg	36
ctgagagaga	gggccctacg	agagatagag	gttctttgtg	tgtgtgtgtg	tgtgtgtgtg	42
tgtgtgtgtg	tgtgtgtgtg	tgtgttttga	gatggagtct	cgctctgtcg	cccaggctgg	48
agtgcagtgg	cgcaatcttg	gctcactgca	acctctgcct	cccgagttca	agcgattctc	54
ctgcctcagc	ctcccaagta	gctgggatta	caggcgccca	ccatcacgtt	cagctaattt	60
ttgtatttt	agtagagaca	gggtttcgcc	atgttggcta	ggctgctctc	gaacttctga	66
cctcaggtga	tccacccacc	tcagcctccc	aaagtgcagg	tattacaggc	gttacacttg	72
cgcccagcct	ctttgttctt	atacattaaa	ttttcatgga	ccgtctggag	attgagaaca	78
cagcag						78
	2 o sapien					
<400> 6 cgagagaatg	atagacatat	agggccatgg	ttcatcctag	atgcatgctc	gagcggcgca	6
gtgtgatgga	tcgtggtcgc	ggccgcggtg	cttttttt	tttttttt	ttttttttg	12
tggtttaaag	gtggacaaag	ccaaaacttt	ttttttcac	cacattggaa	cggggcccaa	18
attccccttg	tggggttacc	ccagggaatt	ccacggttca	tcaaagggac	ccatttcaaa	24
tattgtctaa	aaatctccgg	aatggggcac	ggagcagggg	gcatactagt	ggcaggggg	30
cattcatccc	ccaaggtttc	ccggcgaaaa	ggagtgcccg	agggtgcctg	ggggcaagaa	36
acagggcaga	aaaggtgggt	ggtggggga	ggggctgggc	ttgaaaaaca	cccgtgagag	42
cgggagcagg	ggcacacact	tggactcctc	ccgaaggccg	taaaaagtgg	ccagggccgg	48
gcgggcaata	aataaggcgc	accccaaaaa	ttgggtggcg	gtacaaaata	aggaagatgt	54
tgtgggcctg	ggcgccgcgg	gggccgcagg	ctgtcgtaaa	ccaccggcac	tctgggggag	60
gcggcagggg	tgggtgtggg	gctcgaccgg	gcgtcaagaa	gtattgggac	acccatcccg	66
gggtgttaat	cccgcggggg	aaacccccgg	tctctcctat	aaaaaaatt	ctcaaaacaa	72
aaaaaggcgg	ctgggtgggt	ggcgggggcc	tcttgtgttt	gccccagtgt	attcgtcgga	78
			taaccctttg	553555555		84

cagtgccccc cgaaatccgt gttcattggg tcccccccgc tgtggttgat acaacgaaga 900

WO 02/40673 PCT/US01/45180

6

cetetttet gaaaaacaac gggggggtte tgetteteeg gegteeecag gacgeggegg 960 geggtgetta acttggtgeg egtggacee tttgegacte ee 1002 <210> <211> 1417 <212> DNA <213> Homo sapien <400> 7 ccgcccgggc aggtactctg gaccaaataa taaaacttct ttgaagtgag acgggatcct. 60 ttttagcaat tcaggacact cottatgcct gtttggtgcc cgcagtgaga ttagacctag 120 cagcaaagga gatctgcgcc gagtggccgt aggcctgtgt gttaggacct ttggagaagc 180 ctacagcatt gagcgtaagt cagtgggtcg atatgctgtc ttccgtggtc atgaccactt 240 gettateegg eteateaatt tgeeageaac agtgetaeta geteaegeag gtegegattt 300 tggctagtag cataagtctg taggttcgtc cgtgttcatt ttgtctaaag ttcccatcgt 360 eggtagatee catatgteac atectaggat cataaceatg egegagtgga agaegeaatt 420 cctgaatgtc aaatttactc tagacagatt gcagagatga cgacatatat tgagggtaat 480 acctgtcata cgaacgacac aagcttcata ttaaaaatac agcgttagta gtgaacattg 540 gggtaaaaac aaatgttcga tccacactta atcttgggtg cgaaagtaag gtagaagaac 600 aaagcatatt accatataga gttagtgagg taggtcaccc atcatttgac aaggaccaga 660 caaaaacacc gtgtgtttga cacaacctta tgtaggaata gagattttac acagagagga 720 780 ataatcgata aatatagaaa ttacaaacat gatataagga taccaacttt gaggacaggc 840 ctaatataag ggtttggcca cacatcattc gttcagcaaa taaaacccca gagatgtggc accataaaga teeccactag ggggatecaa gaagaagaeg egaattttaa aettgaeece 900 960 gtgaaattga tataagtccc atatctaatt agaaggaaaa cggaatggat caaataaaag aatcatatag ggagtatctg ttcacacgag agatgtgatc ccagtatcgg gaagacccaa 1020 aatagagtac ggaaggacac taagtacagc cagataatat atgaattggt taaaaggata 1080 agggaatgat accaaaagct atcccactat catagtaaag cccatggagt aggaaaaccc 1140 acccaacaat tgtatcccca acaggcgcgt tgattaatgt gacgagaaaa aaaaagtaca 1200 cagggaccca cacacgggac aattagctaa agggaagtcc ctaggtgaca aaaagggcag 1260 cacggagcaa cataagcagg aaaacaacaa taacgtggga cacaaggtcg gctcaaagca 1320 aaaccaggac cgggcaacaa aacgccacaa gaactcccac cgcgtggcaa actagtcaaa 1380 1417 gcagagagca aaaaaaagaa gatgagaagc agagacg

<210> 8 <211> 469 <212> DNA <213> Hom						
<400> 8 ggggaggata	taatcaatat	aggccaatgt	tgctcctaat	cattctcgag	ccggcgctta	60
gtgtgatgga	tcgagcggcg	ccgggcaggt	cgggcaggga	tggctcacac	ccctgtaatc	120
gcaagcattt	tgggaggcag	aggcagaggg	aggatcactt	gagcccagga	gcttcaagat	180
gagcttgggc	aacatagtaa	gatgtcgtct	caaaaaacaa	acaaaaaaat	agccagtggt	240
gacacatacc	tgtagtccta	gtcacttgag	ggactgagac	agaaggattg	cttgagccca	300
gaaggttgag	gctgcagtga	gccatgactg	tgccactgca	ctccagctta	ggtgacagtg	360
aaaccttgcc	tcagaaaaaa	aaaaaaaaa	aaaaaaaaa	aaaagtttgg	gtaactggat	420
gttttcccgg	tttggaattt	gttttcggta	cttcccaaat	taacaaggg		469
<210> 9 <211> 702 <212> DNA <213> Home	o sapien		·			
<400> 9 gcgtggtcgc	ggcgaggtac	aagaccacag	cggatgtcat	ctttqtattc	cggattcacg	60
	gtggtggcaa				_	120
gcaatcgaaa	aatgaaccca	aacatagact	tgcaagacat	ggcctgtatg	agaagaaaaa	180
gacctacaag	caaagctaac	gaagaggaac	gcaagaacag	aatgagagaa	atgtcagtgg	240
gagactcgca	caatggccca	cgatgttggt	gactggcacc	agaagtgatg	ctgcagattt	300
ggatcacagc	ccgaatgcga	gtcagtgtgc	tgtcagatga	atgttacgtc	tgtggccacc	360
tgtggacttt	ttcgcaagac	cgattaataa	actaaaaact	tcacaacaaa	taccacacaa	420
caatacagag	caagaagggc	ttgggggtta	cctcggtggg	gccatttcgg	cggtgatccc	480
cccgtgggtg	agttgaacca	tgttgggtta	tcatcccccg	ggctctcaca	cacatttccc	540
ccacccacca	agacttttat	tagccagcta	gcaaaaaccc	tggacaattg	atagaagcat	600
agaggaggaa	gcataaaaga	ggttcataag	caaataaatg	ctacagagac	gaaacagaag	660
agccgatggg	aatggtgaag	aataaaccga	aaggcaagta	ga		702

<210> 10 <211> 1788 <212> DNA <213> Homo sapien

<220>
<221> misc_feature
<222> (1640)..(1640)
<223> a, c, g or t

<400> 10 60 gcgtggtcgc ggccgaggta cattccgtat cttttatttt tttattttt tttggaaaac cagteteget etgtegeeca gtgetggatt geaggtggee geaatetett egggateaet 120 180 tgaaacetet ceacetetee eggggtteae egecatttet teetggeete ageeteteee gagatagogt ggagattata egggtgeege eetgeeaaca aggeeegggt ataatttttt 240 cggattattt tatagtatag gaagaacgag gggttttcca accaggtgtt tgaccccgag 300 gagagtgtgc tetetegaac tetetegegt gacacettgt tggtgaacte caacecacac 360 ctctgcgtgc ctctccccac aagagtgtgc cgtggcgata ttcacgaggg gcgtgtggag 420 cccacatttt ggtccccgcg gtccaacatc tctacgcggc ttctcatata tctccaacga 480 gaaaatataa ccgcgacaaa gacctataat ctcgtgtgaa aatgtgtata tcgcagcata 540 tatatgtgcc cccacatata tttatagagg tataaaaaca acatttatta gaagaaaaa 600 actgtggttt cactctctta tagacatatt acgatctcta tgtaggacgc aaaaatatat 660 720 accccagtgc tgtgtagtgt gaagagggcg acattatcta gtgagtgtgg gcacatttta caaactctgt gggtcacagg gcgcaatctc ctctcacaga agacaacccg gggtggaaaa 780 840 aagaattaac cgccccactc tttctctgtg tgtgtgggcg cggcggccac actttattgc gaagatcatt cttctctaaa acacaagggg ggaatgtaag aagactatac caaccccaag 900 960 tattgtgcta taacgcgaac acaccgtgag cattctgggc ccccttgaga atttttgggg 1020 aggacgacaa ttacgtcaga ggaataatcc tcctcataca caaaggctgt tgtggtggtg gtcgtctacc cccttattct actactaata acaagcggtc gccgcgggtg gacttccccc 1080 cccaatcata agcgagttct gcggggagca tacaacacgc tatagcagac gagatcccac 1140 caggtggtga tactatatca agtgcgaaat tctaaaccaa ctttcttttg gaagggaccc 1200 agaacatatt agagaacgcc ctatttcaac cagagagtgt attatagttt gggcagcagc 1260 1320 aacatagtgt acacaccaga aacatttaag tacctcacgc cccaaaatcc gttgttttag caacagcgtt cttaactgtg ccccctcttt gatcgctgtg atacaccaga ccacaatctc 1380 1440 teccacaaag accaatttte eetgacaate ataaacagag ggegggettt ttggtggege acaccaaccc ccaaacaaga ccagaaggac gagccgcgag gtacagacag acaacgaaga 1500 1560 caacgcacaa cacaacaaca caaacaccag cgtcgtcggt ctggggccac gaccacacca

ggtcggtgca	cacaacaagg	gacagtcacc	accccggagt	gtgtgagata	acaagttgta	1620
gtcttccgcc	gcgctcaacn	accaacagca	tgacacggga	ggacaggcac	gatagaccac	1680
gacacaacaa	cactgtccgc	tggcgcagct	agcaagccga	caccgagccg	cggcacgcag	1740
caagagccag	cggtgcaccc	acgccgcggc	acgagccaac	gacagcat		1788
<210> 11						

<211> 2467 <212> DNA <213> Homo sapien <220> <221> misc_feature <222> (2319)..(2319)

<223> a, c, g or t

<400> 11

ggctctcatt gttctggggc ttgtcctcct ttctgttacg gtccaggcaa ggtctttgaa 60 aggtgtgagt tggccagaac tctgaaaaga ttgggaatgg atggctacag gggaatcagc 120 ctagcaaact ggatgtgttt ggccaaatgg gagagtggtt acaacacacg agctacaaac 180 tacaatgctg gagacagaag cactgattat gggatatttc agatcaatag ccgctactgg 240 tgtaatgatg gcaaaacccc aggagcagtt aatgcctgtc atttatcctg cagtgctttg 300 ctgcaagata acatcgctga tgctgtagct tgtgcaaaga gggttgtccg tgatccacaa 360 ggcattagag catgggtggc atggagaaat cgttgtcaaa acagagatgt ccgtcagtat 420 gttcaaggtt gtggagtgta actccagaat tttccttctt cagctcattt tgtctctctc 480 acattaaggg agtaggaatt aagtgaaagg tcacactacc attatttccc cttcaaacaa 540 ataatatttt tacagaagca ggagcaaaat atggcctttc ttctaagaga tataatgttc 600 actaatgtgg ttattttata ttaagcctac aacatttttc agtttgcaaa tagaactaat 660 actggtgaaa atttacctaa aaacttgggt ttatcaacat tacatctcca ggtacattcc 720 gtcttttttt ttggaaacgg agtctcgctc tgtcgcccag tgctggattg caggtggccg 780 caatctette gggateactt gaaacetete caceteteee gggttteace gecattett 840 cctggcctca gcctctcccg agatagcgtg gagattatac gggtgccgcc ctgccaacaa 900 ggcccgggta taatttttc ggattatttt atagtatagg aagaacgagg ggttttccaa 960 ccaggtgttt gaccccgagg agagtgtgct ctctcgaact ctctcgcgtg acaccttgtt 1020 ggtgaactcc aacccacacc tctgcgtgcc tctccccaca agagtgtgcc gtggcgatat 1080 tcacgagggg cgtgtggagc ccacattttg gtccccgcgg tccaacatct ctacgcggct 1140

WO 02/40673

tctcatatat	ctccaacgag	aaaatataac	cgcgacaaag	acctataatc	tcgtgtgaaa	1200
atgtgtatat	cgcagcatat	atatgtgccc	ccacatatat	ttatagaggt	ataaaaacaa	1260
catttattag	aagaaaaaa	ctgtggtttc	actctcttat	agacatatta	cgatctctat	1320
gtaggacgca	aaaatatata	ccccagtgct	gtgtagtgtg	aagagggcga	cattatctag	1380
tgagtgtggg	cacattttac	aaactctgtg	ggtcacaggg	cgcaatctcc	tctcacagaa	1440
gacaacccgg	ggtggaaaaa	agaattaacc	gccccactct	ttctctgtgt	gtgtgggcgc	1500
ggcggccaca	ctttattgcg	aagatcattc	ttctctaaaa	cacaaggggg	gaatgtaaga	1560
agactatacc	aaccccaagt	attgtgctat	aacgcgaaca	caccgtgagc	attctgggcc	1620
ccctigagaa	tttttgggga	ggacgacaat	tacgtcagag	gaataatcct	cctcatacac	1680
aaaggctgtt	gtggtggtgg	tcgtctaccc	ccttattcta	ctactaataa	caagcggtcg	1740
ccgcgggtgg	acttccccc	ccaatcataa	gcgagttctg	cggggagcat	acaacacgct	1800
atagcagacg	agatcccacc	aggtggtgat	actatatcaa	gtgcgaaatt	ctaaaccaac	1860
tttcttttgg	aagggaccca	gaacatatta	gagaacgccc	tatttcaacc	agagagtgta	1920
ttatagtttg	ggcagcagca	acatagtgta	cacaccagaa	acatttaagt	acctcacgcc	1980
ccaaaatccg	ttgttttagc	aacagcgttc	ttaactgtgc	cccctctttg	atcgctgtga	2040
tacaccagac	cacaatctct	cccacaaaga	ccaattttcc	ctgacaatca	taaacagagg	2100
gcgggctttt	tggtggcgca	caccaacccc	caaacaagac	cagaaggacg	agccgcgagg	2160
tacagacaga	caacgaagac	aacgcacaac	acaacaacac	aaacaccagc	gtcgtcggtc	2220
tggggccacg	accacaccag	gtcggtgcac	acaacaaggg	acagtcacca	ccccggagtg	2280
tgtgagataa	caagttgtag	tcttccgccg	cgctcaacna	ccaacagcat	gacacgggag	2340
gacaggcacg	atagaccacg	acacaacaac	actgtccgct	ggcgcagcta	gcaagccgac	2400
accgagccgc	ggcacgcagc	aagagccagc	ggtgcaccca	cgccgcggca	cgagccaacg	2460
acagcat						2467
<210> 12 <211> 251 <212> DNA <213> Homo	sapien					
<400> 12 gcgtggcgcg	gccgaggtac	cagcttctga	tototicoat	gttgctgctg	ttttgtgttg	60
ccactctgaa	taactaatac	cagagagagc	tgcggggtgg	ataagaaggc	tgctgagtgt	120

ttccacgcct caccgctgct ggctgatgag gaaagagtca gcagatgtgg gttacaatgg 180

gattcttgca cgtttgtggt	gccaatggat	tctccacccc	accacttcac	cctgtaaggc	240
aaagctatga a				3.3.4.33	251
-					
<210> 13 <211> 624 <212> DNA <213> Homo sapien					
<400> 13					
cgcggccgag gtactcttga	atacaagttt	ctgataccac	tgcactgtct	gagaatttcc	60
aaaactttaa tgaactaact	gacagcttca	tgaaactgtc	caccaagato	aagcagagaa	120
aataattaat ttcatgggac	taaatgaact	aatgaggata	atattttcat	aattttttat	180
ttgaaatttt gctgattctt	taaatgtctt	gtttcccaga	tttcaggaaa	ctttttttc	240
ttttaagcta tccacagctt	acagcaattt	gataaaatat	acttttgtga	acaaaaattg	300
agacatttac attttctccc	tatgtggtcg	ctccagactt	gggaaactat	tcatgaatat	360
ttatattgta tggtaatata	gttattgcac	aagttcaata	aaaatctgct	cttttgtatt	420
aaccggaaaa aaaacacaac	aaaaacaaa	aaaaaggcgc	tgggggtacc	ctgggccaaa	480
agetggttcc ctcggtgtgg	aaattttgtt	tcccggctcc	cattccccc	aattctccgt	540
gacaaaccac aatgtaaaca	caaaacacac	aacaccaaac	ccaaacacac	accagacacc	600
aaaacaacac acacaagcaa	acaa				624
<210> 14 <211> 1623 <212> DNA <213> Homo sapien					
<221> misc_feature <222> (856)(856) <223> a, c, g or t		•			
<400> 14 gcacgagcca ggccaataac	tcagccagtg	gcacagcagg	actacagtca	agacaatcac	60
agtetetgeg gaegtgeeea	agccctccat	ctccagcaac	aactccaaac	ccgtggagga	120
caaggatgct gtggccttca	cctgtgaacc	tgaggctcag	aacacaacct	acctgtggtg	180
ggtaaatggt cagagcctcc	cagtcagtcc	caggctgcag	ctgtccaatg	gcaacaggac	240
cctcactcta ttcaatgtca	caagaaatga	cgcaagagcc	tatgtatgtg	gaatccagaa	300
ctcagtgagt gcaaaccgca	gtgacccagt	cacctggatg	tcctctatgg	gccggacacc	360

WO 02/40673

12

cccatcattt	ccccccaga	ctcgtcttac	ctttcgggag	cgaacctcaa	cctctcctgc	420
cactcggcct	ctaacccatc	cccgcagtat	tcttggcgta	tcaatgggat	accgcagcaa	480
cacacacaag	ttctctttat	cgccaaaatc	acgccaaata	ataacgggac	ctatgcctgt	540
tttgtctcťa	acttggctac	tggccgcaat	aattccatag	tcaagagcat	cacagtctct	600
gcatctagaa	cttctcctgg	tctctcagct	ggggccactg	teggcateat	gattggagtg	660
ctggttgggg	ttgctctgat	atagcagccc	tggtgtagtt	tcttcatttc	aggaagactg	720
acagttgttt	tgcttcttcc	ttaaagcatt	tgcaacagct	acagtctaaa	attgcttctt	780
taccaaggat	atttacagaa	aagactctga	ccagagatcg	agaccatcct	agccaacatc	840
gtgaaaccca	tctctnactg	tagtcccagt	tactcgggag	gctgaggcag	gagaatcgct	900
tgaacccggg	aggtggagat	tgcagtgagc	ccagatcgca	ccactgcact	ccagtctggc	960
aacagagcaa	gactccatct	caaaaagaaa	agaaaagaag	actctgacct	gtactcttga	1020
atacaagttt	ctgataccac	tgcactgtct	gagaatttcc	aaaactttaa	tgaactaact	1080
gacagettea	tgaaactgtc	caccaagatc	aagcagagaa	aataattaat	ttcatgggac	1140
taaatgaact	aatgaggata	atattttcat	aatttttat	ttgaaatttt	gctgattctt	1200
taaatgtctt	gtttcccaga	tttcaggaaa	cttttttc	ttttaagcta	tccácagctt	1260
acagcaattt	gataaaatat	acttttgtga	acaaaaattg	agacatttac	attttctccc	1320
tatgtggtcg	ctccagactt	gggaaactat	tcatgaatat	ttatattgta	tggtaatata	1380
gttattgcac	aagttcaata	aaaatctgct	cttttgtata	acaaaaaaaa	aaaaaaaaa	1440
aaaaacaaaa	aaaaggcgct	gggggtaccc	tgggccaaaa	gctggttccc	tcggtgtgga	1500
aattttgttt	cccggctccc	attcccccca	attctccgtg	acaaaccaca	atgtaaacac	1560
aaaacacaca	acaccaaacc	caaacacaca	ccagacacca	aaacaacaca	cacaagcaaa	1620
caa			•			1623

<210> 15 <211> 393 <212> DNA

<213> Homo sapien

<400°> 15

cgatgatcac tacatgggca atggtgctct agatgcatgc tcgagcggcg cagtgtgatg 60 120 cccttttttt ccccccggg gggggggtg gtggggagca gtaaacatca ggcccaggaa 180 gagttgggtt gcgtcccgtt cttggccatt gtgcctcctc tggaaaataa cacttcaacg 240 WO 02/40673 PCT/US01/45180

13

atatttcacc teceteataa ggetggtggg tgtaceteag tggeteatat agtegtgatt	300
cccgtggtgt gtaaaagtgg tttactccgg cacccaattc tcccacaaaa cattagcaaa	360
aaactgcatg aacataacac accggtaaca aga	393
<210> 16 <211> 839 <212> DNA <213> Homo sapien	
<400> 16	
taatgcatgc tcgacgcggc gccattgtga tggatgtcga cgtaatcctc tgcagtgata	60
cttctggtaa atgtcaccca gagtctttac gttcaggtca aatgttcctg tatatgttta	120
ttgcaaatag agctgtatac tgttctaaat gtacgacagg tgaactgaac	180
gctcaccatg cgagcacggt aaagggcaga acttcttaac aatgccaata cactgcatat	240
acacaggtgc gtttgttgtg cagttgacga gtaagtacca tgtgacgcga tagatctcta	300
ctatttgacc acggtgtgac gtcccacagc ataggtagga catgtgtggg caagcgttca	360
atgettgeaa ggacegeaca tegteacatt ggagtggaae actageaaeg eteatageta	420
cttataacaa gcgcagtgcg taaactattt caagtgacat acgcatggat aggtctctaa	480
tagatggtog aacacaactt tgtaaaacto acgtogaaga toogogagot goocatttta	540
taggggggaa tgccgaatgc tggggccctt gctaattacc caaaacactt tgcttaaaca	600
cttccaaget tttatccatc gttgcacact gecetttagg tgctcggtta catettccat	660
cttgcggttc ctacttaacg gcccttaggc atatttattc ccccatttgg tttggctttt	720
gaacaacaaa ccttgttggg cttctaagtt tttccccgag gggcttttcc caaaccaaat	780
aattttatcc acctaaccta acctaaaaat cccaataacc cgcgtgaaaa tggcccaat	839
<210> 17 <211> 1176 <212> DNA <213> Homo sapien	
egtggtegeg geegaggtet tittttttt titttttt titttgggga cacaaccca	60
ettttattac agatttgacc cagcccaaca cgcgcggggc agggtcaaac ctcacaagac	120
atotocgoac caaggggoog gggagacoto aagaaggggo tagaaagggo ttoactotgg	180
agaaatgggg ccccggctct cacaacgccc gggtataccc ccaatactct caaacaacgt	240
gegegtgete tetttatgte teccegeaat tgtggeeaca etectgtgte geeeegagtg	300
gegtggagt tetetegtgg tegeacttaa tttttetet eteaceacea cagagggtg	360

tgccgtggcg agcgcaacac tgtgggagcc tcagcgtggc ctcacagagc gctgggggg 420 ataacactcg agtggcgcaa catatagcgc gtgtgtctcc gcgcggtggg gggacacatg 480 tgtgggtata tctcgcgggc tctcacacca aattctcccc cacaaacaaa acatataqcc 540 600 gagacgagca ccaaataata agatgaaaac ggaataggaa gaacaaaaaa caacactcca 660 caaacaatct aaactaatga tggggcgacg aaaagaagag cgcaccaaag ccacaacgat 720 gacaccgcag agagtatatc cccacaaaca cagacatccg gggagaaaac acaccccacg. 780 tatgtattag gagtcagcaa ccacacgacg agagtaaaca tataatcaga agtagagcaa 840 aactaactgg gaggcacaca aatagcagcc gcacgcacga aggtggaaaa agaaagcagc 900 gaggattata ttcaaggacg agtaaaacat aatggggaga gaaccacgca catctcatta 960 cccccgcatg gactatcacc cccatcgggc gcgtcgacag aacatatgaa aacaactcgc 1020 acccatageg caggecacae ecceeggea ggaeceageg acacaegega ggagetataa 1080 gcgtgagaga cgaaacaaca ccggaagtaa agatacgaag cgatctcacc acaccacaga 1140 aaaaggaggc cgcgaatcgc aaaatacaca acgggt 1176

14

<210> 18

<211> 1069

<212> DNA

<213> Homo sapien

<400> 18

cggccgcccg ggcgggtacg tgccgcgtaa aatgctccgc gtaatcaatc gcatcatcgg 60 tgccaggtaa ccacgcatcc actccagagt gaacggtggc cagaggttgg acaacggtca 120 catgtgcccg tgtttagtct gcgccacgtt tagaatactt gatggctatc tgagcgtggg 180 actacttcga gtacgtgaat ggagtagagc tcaagactcg tattccagtt actcctgatt 240 eggecagatg getegeettg getateagat eteagataag acaetgette tgacatggea 300 360 actatacaaa aaacaaacaa agaacaaaga caaataacaa cagagctctg aggcgaqagt 420 accactgagt gggcgcaaaa atgaacggta gtgtcccccc ggtggtgtgc gacacacact 480 gtgtgtatca ctcccgcgac ctacacacat gaaatctccc ccacacagac acatatatac 540 ccggaaaaat ccacaaacga gttaaaacaa tctcaagact aggccaagtt ccgtcaacca 600 tttgccggat cacggtccca ccatctctct caccacacag gctgacatgc ctacgtcacg 660 agacatetea aegegeageg caaacaceta eccaeaegtt eteeeggtee teaegttgta 720

atcacgactt cca	ıcgaacaa	ctgcgatacc	gaaacacagt	actcgggccg	gatecegteg	780
tatgagcccc caa	ccactcc	aacatattgt	accactcttg	cacacgcaac	catcccacat	840
atcaacaaaa act	agaagac	atattacgat	tatctatcct	gtccccatac	tatacttccc	900
acaaagtcgg cga	agaaata	gagacgacgc	tegcattggc	tttactatcc	cctataaacc	960
ctacctttga agt	tgatacc	gaggagcaca	caacacagat	ttacaccgcc	ctggcaacca	1020
tgcactggga att	cactggt	acatacaaca	acactctatg	cgccagtca		1069
<210> 19 <211> 637 <212> DNA <213> Homo sa	pien		·		·	
<400> 19 attatccaga aca	gaggaaa	acactgatcg	tgccagcctg	acattcaata	gaatacggcc	60
aacagcgacg gga	cagaggc	agaatagaca	gtaatagagc	gacggcctct	tatccgacct	120
atcctcagat cac	gtgagcc	atacagacat	gcagcatcag	agtcgtagac	gagctagcgg	180
cacgagcgag ata	tacagac	tacacatcaa	agagacggta	gatacggtag	ataccacgag	240
aatcacggga gaa	taacagc	acggacaagc	aacatgtaga	gacgaaagag	gccagacaaa	300
aagcgccagg aac	cgcgaaa	aaggccgacg	ttaggtggcg	tagaaccata	acgacacacg.	360
aacaacactg aca	gaacata	cacaaaaatc	agagcatcaa	gtcaaagtag	gcgaaaccac	420
gaaagaccta cta	aaaattg	cgagggggtt	tcccgcgttg	gcgcatcaca	tcgtagggat	480
cataatgata ccg	gacatga	cgatatacac	ggataacttg	tacggcttat	acgcttgggg	540
aaggatgaag gta	cgcatag	ctcagcagga	ggatccacac	caggaacgaa	gaaggcaaac	600
tggctgtgac aaac	caccgga	accggaagaa	caaacga			637
<210> 20 <211> 895 <212> DNA <213> Homo san <220> <221> misc_fea <222> (365) <223> a, c, g	ature (365)		•			
<400> 20 gtccgcggcc gagg	gtaccat (cagccagcac	cacccactat	ggcctcagct	cggatggccc	60

cagtacccca ccgctagcga cccagcggga tgagtttgcg tgtagctatg ctgagactta 120

WO 02/40673 PCT/US01/45180

16

acgtggttgg cttcagcgtg ggtcgggctc gcatcttacg atggagtaga tgtccagttc 180 240 aagaggccaa ctgactcatt gcatgccaga gggaggtgtg gatacgtcgg cgcgatcaag 300 aatgoogcac toatgogacg otgacgooot tgottggtoo gtgggtgato aggoagcagg 360 tagagtetga gecaeteaga gettgggega taateaetgg ateaetagge tgtattetet 420 ggtgntcgaa agtctggtta ttcctggctg ctagcgaatt cctatcatca agcataccgg agtcacgggc gctcgatcat ggcctgaatg caggggaggg tgctttagag cgcgtgctgc 480 540 cgagtcgaga gtgaagatgc ctgagtcaaa tgggccaaga agtgacagac aaactcgggt 600 tegggeagtt attegeagtg eggtegaagg gggeeggeat gtgeaataeg atgetgatea gattgatgcg aataactgga gtaagtgcag tacgacaaag ggcgctctca gagcaagaag 660 720 acattgccgc ttagtgtaga gtgtagccta ccttgtactt cgacattggt caacggccag 780 aaggacatgt gaaacactag ttgtgggaga cgacctgtgg ggaccggatt cacgtgccaa tgggcttcag taagacgtgg gtatttccca tgggtgcgct gcaacaaata gggtcaagtg 840 895 cccagactac gaagcaattt cccaccaagc aaatataggg ggaagccaag ggggt

<210> 21

<211> 506

<212> DNA

<213> Homo sapien

<220>

<221> misc_feature

<222> (276)..(276)

<223> a, c, g or t

<220>

<221> misc_feature

<222> (462)..(462)

<223> a, c, g or t

<400> 21

cgtcaacaat	tccccaaaca	acaaacacgg	gcacgacaag	tnggggcaca	acgcctggag	480
cccgtgagcg	gacaaggaga	cggaaa				506
<210> 22 <211> 538' <212> DNA <213> Home						
<400> 22 cgcctggcac	tctcacccga	agacaagccc	atcegettgt	cccctccaa	gatcacagag	60
		ggaagaaccg				120
		cacagagetg			•	180
		ccccagccct				240
		cgggcagagc				300
gtggaggggc	ctgaaccacg	ggtggattcc	cegggcegga	cagaaccctg	caccgccgcc	360
ctggacctgg	gggtgcagct	gacacccgag	acactggtgg	aggccaagga	ggagccggtg	420
gaggtgcctg	tgggggtgcc	cgtggtggag	gcagtgcccg	aggaaggcct	ggcgcaggtg	480
gcaccgagcg	agtcccagcc	caccctagaa	atgtcagact	gtgacgtgcc	cgccggggag	540
ggacagtgcc	cgagcctgga	gccccaagag	gccgtgcctg	tactcggcag	cacctgcttc	600
ctggaagagg	caagctctga	ccagttcctg	cccagtctgg	aggacccact	ggctggcatg	660
aacgccctgg	cggcagctgc	ggagctgccc	caggccaggc	ctctgccctc	cccgggtgct	720
gctggagccc	aggccttgga	gaagctggaa	gcagccgaga	gccttgtctt	ggagcagagc	780
ttcctgcatg	gcatcaccct	gctaagtgag	atcgcagagc	tggagctgga	gaggaggagc	840
caagagatgg	gaggtgcgga	gcgggccctg	gtggcgcggc	cctccctgga	gagtctgctg	900
gcagctggca	gccacatgct	gagggaggtg	ctggatgggc	ccgtggtgga	cccactcaag	960
aacctgcggc	tcccgcggga	gctgaagccc	aacaagaagt	acagctggat	gcgcaagaag	1020
gaggagcgga	tgtatgccat	gaagtcctcc	ctggaggaca	tggacgccct	ggagctggac	1080
ttccggatgc	ggctggccga	ggtgcagcgc	cagtacaagg	agaagcagcg	tgagctggtg	1140
aagctgcagc	gccgccggga	ctccgaggac	aggcgcgagg	aaccccatag	aagcttggca	1200
cgcagaggcc	ctggcaggcc	gcggaaacgg	acccacgccc	cgagcgccct	gtegeeece	1260
cgcaagagag	ggaagagcgg	ccacagtagc	ggaaagctga	gcagcaagtc	tctgctgaca	1320
tcagatgatt	atgagctggg	agcagggata	agaaagagac	acaaggggtc	tgaggaggaa	1380
catgatgccc	tcatcggaat	ggggaaagcc	agggggagga	accagacttg	ggatgaacat	1440

gaggcctcgt cggacttcat cagtcagcta aagattaaga agaagaagat ggccagcgac 1500 caggagcagt tggcaagcaa gctcgacaag gccctctccc tcaccaagca ggacaagttg 1560 aagtcgccct tcaagttttc ggacagtgct ggggggaaat cgaaaactag cgggggctgc 1620 ggcaggtact tgactcctta cgacagcctg ctggggaaga acaggaaggc gctggccaag 1680 ggcctcggcc tgtctctgaa atcctccaga gaaggtaaac acaaaagggc agccaaaacc 1740 aggaagatgg aggtggggtt caaggecaga ggecageeca agteggeeca tteecegttt 1800 gcctcggaag tgagcagcta ctcttacaat acggactcag aggaagacga agaattcctg 1860 1920 aaggacgagt ggcccgccca aggcccctcc agctccaaac tgacgccttc cctcctgtgt agcatggtgg caaagaacag caaggcagct ggtggcccca agctgaccaa gaggggcctg 1980 geggeeece ggaetetgaa acceaageeg gecaecagea ggaageagee gttttgtetg 2040 2100 ctgcttcgag aggccgaggc gcgttcctcc ttcagcgact cttcggagga atcgtttgac 2160 caagatgaga gctcggagga ggaggacgag gaggaggagc tcgaggagga ggacgaggcc 2220 agoggtggtg gotacaggot gggtgcccgg gagogggccc tgtcaccggg cotggaggag agtgggctgg gcctgctggc acgcttcgcc gccagcgccc tccccagccc cacggtgggt 2280 2340 ccatccctgt ctgtggtaca gctggaggcc aagcagaagg cccggaagaa agaggagcgg 2400 cagageetge tgggeacaga gttegagtae acegaeteag agagegaggt caaggtgege aageggtege etgegggget getgeggeee aagaagggge tgggggagee gggaeeetee 2460 ctggccgcac ccacgcctgg cgcccgcggt cccgacccca gcagcccaga caaggccaag 2520 ctggcggtgg agaaggggcg caaggcccgg aagctgcggg gccccaagga gcctggcttc 2580 2640 gaggegggge cegaggeeag egaegaegae etgtggaege ggegeegeag egagegeate 2700 tteetgeacg acgeetegge tgetgeacet gegeeegtea geacegegee egecaeeaag 2760 accageeget gegecaaggg eggeeeetg ageeegègea aggaegeegg gegtgeaaag 2820 gacaggaagg accccaggaa gaagaagaaa gggaaagagg ctgggccagg agctgggctg cegeegeece gageteetge ettgeeetet gaggeeaggg etecteetee teeteeteet 2880 cotcotcotc atcotcotct tootcotcot cotcotcotc etcotcotct tootcotcgt 2940 ettectecte trectectee testettest egrecteate etestectee testestet 3000 cctcctcttc ttcctccacc acagacgagg actcttcctg cagctcggac gatgaggcag 3060 ccccegece caeggetgge cetteegege aggeggeget ccccaccaag gccaccaage 3120 aggeeggeaa ggegeggeee teggeeeaet eeccaggeaa gaagaegeee gegeeeeage 3180 cccaggcgcc tcctccgcag cccacacagc ctctgcagcc caaggctcag gccggggcca 3240

agagccgacc	: caagaagaga	gagggcgtcc	acctccccac	caccaaggag	ctggccaagc	3300
ggcagcgcct	gccgtccgtg	gagaaccggc	ccaagatcgc	cgccttcctg	ccagcccggc	3360
agctctggaa	gtggttcggc	aagcccaccc	agcggcgtgg	catgaagggc	aaggcccgca	3420
agctcttcta	caaggccatc	gtgcgcggca	aggagatgat	ccgtatcggg	gactgtgccg	3480
tgttcctctc	tgccggccgc	cccaacctgc	cctacatcgg	ccgcatccag	agcatgtggg	3540
agtcgtgggg	caacaacatg	gtggtccgcg	tcaagtggtt	ctaccacccc	gaggagacca	3600
gcccgggcaa	gcagttccac	cagggccagc	actgggacca	gaagtccagc	cgcagcctcc	3660
cggcggccct	gegggtetee	agccagagga	aggacttcat	ggagcgcgcg	ctataccagt	3720
cctcgcatgt	ggacgaaaat	gacgtgcaga	cggtgtcgca	caagtgcctg	gtggtgggcc	3780
tggagcagta	tgagcagatg	ctgaagacca	agaagtacca	ggacagcgag	ggcctgtact	3840
acctcgcggg	cacctacgag	cccaccacgg	gcatgatctt	ctccacggac	ggcgtgcccg	3900
tgctctgctg	agcccgccgg	gccctgcggg	ccacctgtgc	cccgagggcg	gccagggacc	3960
catctccatc	actgccatgg	cgcggagacc	acgtgcgttg	tgtgcatgcg	agcgctcctg	4020
caggcgtgtg	catggggcca	ggtgtgcacg	tggatgcccg	ggtgagtgtg	tgtgcatgca	4080
cgtgtgtgca	cgcatgtgca	catgcctcca	gccccacctt	ccaacccctc	agtgccccca	4140
ggacaggggc	ccctcttagc	tatcagggta	tggccggacc	ggcccttcct	gcccagcacg	4200
ttgcaagcac	ttggccaggc	cggccctcca	ggctgctgct	gcgtgggggc	ccgggtgccc	4260
ccaggtccat	gcagactggg	gattcggtgg	ggaggggcgc	ttctaaggaa	ccaaactgac	4320
gctcactctg	ggcttcccaa	gcacccttag	catggagccc	accccaaggc	ctcccaccgt	4380
gcatgggaca	gggcagcccg	atgccagctg	gcctacctga	ctgtgccagg	ggccctgccc	4440
ccaccctctc	aggatggcct	agacttgggg	aacagagccg	ggtggggttg	cagcccggag	4500
tgtctgtcaa	aggcaccagg	tggagagggc	ccggcacagg	cccaccctgg	tccaaaccct	4560
cacactacag	aaaaccccaa	tggtgctgaa	actgtcgccc	ggccacgcct	ggcccctccc	4620
cacccaggag	ggaggtggca	cttcttaacc	tgtacagttt	tattgtacca	agagactcgc	4680
ccgcccctg	tatcataagc	ctttaaatgg	agtcaacttt	ttaattatat	atataaagat	4740
aatatatat	aaatatatat	ataaactttt	taaaactgtg	aaaaatagct	atgaaattat	4800
aaaaaaaaa	cattctgacg	tgcagaatat	tatttttat	ttcctgttag	attatagtgt	4860
tagcaccgg	cttcaccggc	ctcccagtcc	ccagcacacc	ccccgcccac	cccgccaagt	4920
gtactgtact	cacccccag	gatagagaag	tgtttgttag	ggagagaaga	gggagaggca	4980

ggagccggcc	caagcccagg	gtccctgctt	gggccccaga	aagcacttaa	ccaggcccca	5040
agccttcaag	ggaaaccaag	gcctcaacca	gacaatcttg	agggaaggaa	aagccagact	5100
ttgggtttgt	tttttggggg	aattattggt	tttttttt	atgtttcttt	tggaattttg	5160
tttgttggca	aattctgtgt	gatcttttt	cataaaaaaa	aagaaaagat	ttaattggaa	5220
aaataaaatt	gtctggagtg	gtttatttca	ggggctggag	taggggtggt	gtctgggggc	5280
attctgccat	atcagggcac	caagaagcag	gattcgactg	gaagaagttg	ggtgccacgc	5340
gtgcaggggc	ggtgacccca	tgcagccatc	taaatgagct	catcggc		5387
	o sapien					
<400> 23 tcatataggg	cgcatggtca	tctagatcat	gctcgagcgg	cgcattgtga	tggatggtcg	60
cggccgaggt	ccggccgagg	tacatttatt	taggagtggg	tttcgtgggg	gtaggtgata	120
aaaattagga	tcagttgaag	aaaattgaag	aaactaggat	cagtaagaga	aactgtttgc	180
tttacctgaa	tttaactatg	aaaacacact	taacaatctt	acacgtttct	agatattaag	240
tgaatatgta	actcctgtcc	atgggtagat	gtgtatcttt	gacttctgta	attatttttg	300
atattctatc	agtgtattat	gagactctgg	cctccctgca	gatcttctaa	gaaccacact	360
a						361
<210> 24 <211> 168 <212> DNA <213> Hom						
<400> 24	: ccccacttac	acacaatctt	tetgeägtte	g ctcccagcat	taattctgga	60
				g atgagaaaac		120
				g gcatttataa		180
				g taagaaaaga		240
					ctaagagcac	300
					ctttcagaat	36
					ttacatcagg	42
•					gaacaccagc	48
					gacatcttct	54

						•
tgcagcaaga	gtgctgatat	cccaagagga	gagattcatg	gttttgatca	tttccttctg	600
aactgcctgc	attttctgag	gaaggccttc	tagaagaagg	aaagacaaag	acttccaaat	660
gtttcaaagg	aagattgaac	aaatggccct	ccccaactgt	tatcccatta	cctttcacgt	720
ccaccgatgc	tatttcaaga	catatccagt	ggaataacag	tgatatggtt	cttgttacat	780
gaatgtgtat	ttactgttag	gagattgtat	attttaagtt	accatgatta	aaagtgtgta	840
aaaaggggg	acagagagaa	atactataaa	aggccatgtt	actcatgcat	tgaactttgt	900
gtgttttctg	tataaatgtg	tacatttatt	taggagtggg	tttcgtgggg	gtaggtgata	960
aaaattagga	tcagttgaag	aaaattgaag	aaactaggat	cagtaagaga	aactgtttgc	1020
tttacctgaa	tttaactatg	aaaacacact	taacaatctt	acacgtttct	agatattaag	1080
tgaatatgta	actcctgtcc	atgggtagat	gtgtatcttt	gacttctgta	attatttttg	1140
atattctatc	agtgtattat	gagactctgg	cctccctgca	gatcttctaa	gaaccacact	1200
aatgcaagct	tgacagagaa	acctctttcg	aatgacttac	tacaactctg	gcattggtta	1260
gttccatgta	ttgtaagatt	ctggtgctaa	tgctccatac	agaattgatc	aggactgatt	1320
actcttctgt	ggaccaattg	ctattgaact	acccagctga	agagggtttg	gggagagaac	1380
gttcattatt	atggactcca	cttttgtccc	ctggtagttt	aagggtgata	ctagaatcca	1440
gagaagttcc	tgtctccttg	tggcctcaaa	cactcaggcc	gtctcaaaag	cttttcacca	1500
aggtgcaaaa	tcatttacct	gcattccaca	catcttttcc	aatgcatgga	tccaaaactt	1560
tttaggtggg	aggaataaac	taagttggct	acaggttctt	gatttctggg	tttctacaca	1620
tgctctgcat	ttatcatttt	agagaatggt	tgtttaggga	accagaattt	gtgagttttt	1680
tt						1682

<210> 25

<211> 718

<212> DNA

<213> Homo sapien

<400> 25

cggccgaggt accagagaac atacagtaaa taatgattt tacatattga agttgcagtt 60 gttgactgtg atgttgaaga tgtcttcaga cagtagttca tactgcattc cacacttgag 120 gctcaagtga ttggagtgat ttctgcaatt actagtttgt tctataacta agactgtttg 180 ttggtctctg catatacttt caggtcatta aatgctacag aaatgagaaa tgaaatacaa 240 actttttaac tcctactcag atgtccaaac agcttcttag ttcctgtcag atcagtaata 300 atactgggtt tggtcttct taaaccaagc ataatcctgc ttatcttaga atgaaacagt 360

attcctattc	agaggtaaat	agagttaacc	tttactcgtg	taatttttat	tgttgtttta	420
ccatttcatg	gtgttcatac	tagccccctt	tcctttccct	ctaagtgact	gctgaggttc	480
tcaccatttc	agaataaaat	tettgteett	tgaggttgga	aatttaatga	taatgaaaaa	540
ctgtatgtgt	cagtatactt	aaaaggaaag	gttatatcat	tctcctcatt	tggatgtaaa	600
atttacctgt	tagagaacac	attggaatta	tagaacagaa	acacacccc	aaacacacgg	660
ctgggcgtaa	ccagggccaa	agcggcccgg	ggtgaatggt	atccgcccca	aatccatc	718
	o sapien					
<400> 26 ggatacacag	aatgatcata	tatgggccat	gttatctaga	tgcatgctcg	agccggcgct	60
aatgtgatgg	atggtcgcgg	cgaggtacca	gacatgctca	aaatgtgctt	tcccgttatc	120
tttcagaacc	caccaccagg	aaaccaaaac	ggaccccact	ctgagagttc	catgatgaag	180
gtgtttaatg	aaatcacatt	aacccctaag	taaaggcagt	agatgaaatt	atccattatc	240
ttttgtctct	tttttttca	tagtgtgaga	ctacgattgg	caaagtggga	aaacggacac	300
ccaactcatt	tgattagcag	aataaatggt	gtccattaaa	tecetectet	ttgaaagtta	360
tgtgcatggc	ccagcagtgg	tacgctttag	tgccctgcaa	ctcccagaca	ctttcgggag	420
gccgatggca	gaaaggactc	gcttgagccc	aggagtccga	gcaccagcct	gggcaactta	480
cgtagggacc	ccatctcgtg	gttttcttct	tttgtacgaa	aagaagcaga	tttctgtggc	540
gaagacgcta	ttgcagacca	caagggaggc	tcataggaac	actgtctcat	attgattact	600
ctatgagaag	aaactcccgt	gtatggaaag	ggggcactga	gagatctggg	cgctcgagag	660
aaacagtggg	ggacgcacag	ggccggataa	gatccaagcc	cctattat		708
<210> 27 <211> 1026 <212> DNA <213> Homo	s sapien					
<400> 27	~~	~~~	b b b a a a b b b b a a a b b b b a a a b b b b a a a b b b b a a a b b b b a a a b b b b a a a b b b a b a a b			
			tatccatatt		_	60
			gatcaatggt		•	120
			tttatttcta			180
tccctattc	tgaagtatta	tcaaaacqaq	gacccttgaa	gatcaaacco.	agettatett	240

	23			
gacttcaaag atgacacagc agco	caaccta gaatcctggc	ttgctgcttg	agtcctagaa	300
atcatgtctt ctcatgtttt acaa	acaaget gtgtetetga	aaactaaaat	cagacttcag	360
attcctctga aacagttctg gttc	ccaagc atccgcacca	tggtacccag	acatgctcaa	420
aatgtgcttt cccttatctt tcaa	aaccca ccaccaggaa	accaaaacgg	accccactct	480
gagagttcca tgatgaaggt gttt	aatgaa atcacattaa	cccctaagta	aaggcagtag	540
atgaaattat ccattatctt ttgt	ctcttt tttttcata	gtgtgagact	acgattggca	600
aagtgggaaa acggacaccc aact	catttg attagcagaa	taaatggtgt	ccattaaatc	660
cctcctcttt gaaagttatg tgca	atggccc agcagtggta	cgctttagtg	ccctgcaact	720
cccagacact ttcgggaggc cgat	ggcaga aaggactcgc	ttgagcccag	gagtccgagc	780
accagectgg geaacttacg tagg	gacccc atctcgtggt	tttcttcttt	tgtacgaaaa	840
gaagcagatt totgtggoga agad	gctatt gcagaccaca	agggaggctc	ataggaacac	900
tgtctcatat tgattactct atga	gaagaa actcccgtgt	atggaaaggg	ggcactgaga	960
gatctgggcg ctcgagagaa acag	tggggg acgcacaggg	ccggataaga	tccaagcccc	1020
tattat				1026
<210> 28 <211> 406 <212> DNA <213> Homo sapien				
<pre><400> 28 gaagatgact catatagggc gatg</pre>	gttcaa catagatgca	tgctcgagcg	gcgcgttgtg	60
atggatgegt ggtegeggee gage	stactcc acttcaaatt	tcccaagaaa	tcagaagaat	120
ggtgaacaag tgctggtttc acaa	tactca gcaagtgttt	acacattggg	ccaaggacag	180
atttttcctg gagaaggatt ttac	cactgc caccatcttg	aaattcttca	tcgtttggaa	240
cacagageca tagattttca ttte	tgcact cagctctgtt	ctgagaccgg	ggccataggg	300
gttcttggag agacagggca gatg	gaagaa gtggaaggca	tctgcacact	gtagagtgcc	360
tttaagccac ccccattgcc tgag	ttgttt tcctttttta	caaatg		406
<210> 29 <211> 818 <212> DNA <213> Homo sapien <400> 29				
gcttttcgtt gttgagcgtc actt	aaatto gtgtcattto	atgitggtac	aggtactcca	60

cttcaaattt cccaagaaat tcagaagaat tgtgaacaag ttgctggttt cacaatactc

WO 02/40673

agcaagtgtt	tacacattgg	gccaaggaca	gatttttcct	ggagaaggat	tttaccactg	180
ccaccatctt	gaaattcttc	atcgttttgg	aacacagagc	catagatttt	catttctgca	240
ctcagctctg	ttctgagacc	ggggccatag	gggttcttgg	agagacaggg	cagatggaag	300
aagtggaagg	catctgcaca	ctgtagagtg	cctttaagcc	acccccattg	cctgagttgt	360
tttccttttt	tacaaatgaa	gcttgttctt	ttctgggtct	ctccaaggtg	gagtgtagga	420
gggcagtgtt	ttccgtagcc	tctggctcgt	gccgcgctct	cagactcttc	agttctcctc	480
acccacacga	gcccaatgag	gtaggccttt	ttattccatc	ttgcagacaa	agaaacgatt	540
actcagggtt	gataaacacc	acccaagatc	tcatgggagg	aaggaacaga	gatgaaaata	600
aaatgcaagg	ctgtgtaagt	ccaacaaata	tgccacatcc	atgtcacctc	tggggtctga	660
tccagcctct	caacaaccac	cgtcacccct	caacaggcag	gtgacagtgg	cgagacggcc	720
cagcccagca	acaggeteee	ccattgcagt	gccattgcta	tgccagagga	cacaaacccc	780
agaccttgac	tcctcctcac	agaccctgaa	cagctaga			818

<210> 30 <211> 57 <212> PRT

<213> Homo sapien

<400> 30

Met Leu Trp Pro Arg Leu Ser Leu Ser Arg Thr Pro Pro Val His Leu

Ser Arg Cys Asp Thr Arg Arg Arg Leu Ser Glu Pro Leu Pro Lys

Ser Val Arg Gly Glu Ile His Arg Ala Cys Glu Arg His Thr Lys Cys

Pro Val Ala Leu Ile His Tyr Ile Ile

<210> 31

<211> 80

<212> PRT

<213> Homo sapien

<400> 31

Met Ser Tyr Lys Asn Gln His Thr Lys Gln Thr Glu Gln Phe Arg Ser

WO 02/40673

Leu Cys Tyr Ser Leu Pro Asp Leu Arg Ser Tyr Cys Leu Ala Tyr Pro 20

Pro Ser Thr Tyr Leu Cys Tyr Phe Leu Ser Asn Ile Gln His Ile Pro

His Thr Asn Ile Thr Asn Arg Ser Thr Ser Gln Gln Arg Val Ile Tyr 55

His Ser Ser Leu Thr Ala Leu Val Thr Ile Leu Asn His Pro Gln Thr 70 75

<210> 32

<211> 41 <212> PRT

<213> Homo sapien

<400> 32

Met Cys Val Thr Arg Ser Leu Leu Asn Cys Leu Tyr Arg Ile Pro Trp

Leu Glu Ser His Asp Cys Ser Phe Gly Ser Ala Pro Glu His Cys Thr 25

Glu Thr Ala Cys Val Gln Gly Val Gly

<210> 33

<211> 135

<212> PRT

<213> Homo sapien

<400> 33

Met Met Ser Ser Ser Ala Ser Pro Leu Ser Leu Pro Leu Ser Leu Trp 5

Arg Phe Ser Thr Leu Pro Ala Leu Pro Arg Ala Gln Phe Pro Pro Asp 20 25

Pro Thr Lys Val Lys Gly Glu Glu Glu Lys Arg Gly Arg Gly Ser Asp 35

Ala Thr Ser Val Leu His Leu Val Ala Glu Arg Glu Gly Pro Thr Arg 50

26

Asp Arg Gly Ser Leu Cys Val Cys Val Cys Val Cys Val Cys Val Cys Val Cys 65 70 75 80

Val Cys Val Cys Val Leu Arg Trp Ser Leu Ala Leu Ser Pro Arg Leu 85 90 95

Glu Gly Ser Gly Ala Ile Leu Ala His Cys Asn Leu Arg Leu Pro Gly
100 105 110

Ser Ser Asp Ser Pro Ala Ser Ala Ser Gln Val Thr Gly Ile Thr Gly 115 120 125

Val Pro Arg Pro Arg Pro Arg 130 135

<210> 34

<211> 90

<212> PRT

<213> Homo sapien

<400> 34

Leu Arg Trp Ser Leu Ala Leu Ser Pro Arg Leu Glu Cys Ser Gly Ala 1 5 10 15

Ile Leu Ala His Cys Asn Leu Cys Leu Pro Ser Ser Ser Asp Ser Pro 20 25 30

Ala Ser Ala Ser Gln Val Ala Gly Ile Thr Gly Ala His His Val 35 40 45

Gln Leu Ile Phe Val Phe Leu Val Glu Thr Gly Phe Arg His Val Gly 50 55 60

Ala Ala Ala Leu Glu Leu Leu Thr Ser Gly Asp Pro Pro Thr Ser Ala 65 70 75 80

Ser Gln Ser Ala Gly Ile Thr Gly Val Thr 85 90

<210> 35

<211> 218

<212> PRT

<213> Homo sapien

<400> 35

Met Gly Val Pro Ile Leu Leu Asp Ala Arg Ser Ser Pro Thr Pro Thr

27

15

1 5 10

Pro Ala Ala Ser Pro Arg Val Pro Val Val Tyr Asp Ser Leu Arg Pro 20 25 30

Pro Arg Arg Pro Gly Pro Gln His Leu Pro Tyr Phe Val Pro Pro Pro 35 40 45

Asn Phe Trp Gly Ala Pro Tyr Leu Leu Pro Ala Arg Pro Trp Pro Leu 50 55 60

Phe Thr Ala Phe Gly Arg Ser Pro Ser Val Cys Pro Cys Ser Arg Ser 65 70 75 80

His Gly Cys Phe Ser Ser Pro Ala Pro Pro Pro Thr Thr His Leu Phe 85 90 95

Cys Pro Val Ser Cys Pro Gln Ala Pro Ser Gly Thr Pro Phe Arg Arg

Glu Thr Leu Gly Asp Glu Cys Pro Pro Ala Thr Ser Met Pro Pro Ala 115 120 125

Pro Cys Pro Ile Pro Glu Ile Phe Arg Gln Tyr Leu Lys Trp Val Pro 130 135 140

Leu Met Asn Arg Gly Ile Pro Trp Gly Asn Pro Thr Arg Gly Ile Trp 145 150 155 160

Ala Pro Phe Gln Cys Gly Glu Lys Lys Lys Phe Trp Leu Cys Pro Pro 165 170 175

Leu Asn His Lys Lys Lys Lys Lys Lys Lys Lys Lys Ser Thr Ala Ala 180 185 190

Ala Thr Thr Ile His His Thr Ala Pro Leu Glu His Ala Ser Arg Met 195 200 205

Asn His Gly Pro Ile Cys Leu Ser Phe Ser 210 215

<210> 36

<211> 61

<212> PRT

<213> Homo sapien

<400> 36

Met Thr Gly Ile Thr Leu Asn Ile Cys Arg His Leu Cys Asn Leu Ser 1 5 10 15

Arg Val Asn Leu Thr Phe Arg Asn Cys Val Phe His Ser Arg Met Val 20 25 30

Met Ile Leu Gly Cys Asp Ile Trp Asp Leu Pro Thr Met Gly Thr Leu 35 40 45

Asp Lys Met Asn Thr Asp Glu Pro Thr Asp Leu Cys Tyr 50 55 60

<210> 37

<211> 56

<212> PRT

<213> Homo sapien

<400> 37

Met Ala His Cys Ser Leu Asn Leu Leu Gly Ser Ser Asn Pro Ser Val 1 5 10 15

Ser Val Pro Gln Val Thr Arg Thr Thr Gly Met Cys His His Trp Leu 20 25 30

Phe Phe Cys Leu Phe Phe Glu Thr Thr Ser Tyr Tyr Val Ala Gln Ala 35 40

His Leu Glu Ala Pro Gly Leu Lys

<210> 38

<211> 96

<212> PRT

<213> Homo sapien

<400> 38

Phe Phe Phe Phe Ala Gly Lys Val Ser Leu Ser Pro Lys Leu Glu
1 5 10 15

Cys Ser Gly Thr Val Met Ala His Cys Ser Leu Asn Leu Leu Gly Ser 20 25 30

Ser Asn Pro Ser Val Ser Val Pro Gln Val Thr Arg Thr Thr Gly Met 35 40 45

Cys His His Trp Leu Phe Phe Cys Leu Phe Phe Glu Thr Thr Ser Tyr 50

Tyr Val Ala Gln Ala His Leu Lys Leu Leu Gly Ser Ser Asp Pro Pro

Ser Ala Ser Ala Ser Gln Asn Ala Cys Asp Tyr Arg Gly Val Ser His

<210> 39

<211> 76 <212> PRT

<213> Homo sapien

<400> 39

Met Leu Pro Pro Leu Cys Phe Tyr Gln Leu Ser Arg Val Phe Ala Ser

Trp Leu Ile Lys Val Leu Val Gly Gly Asn Val Cys Glu Ser Pro

Gly Asp Asp Asn Pro Thr Trp Phe Asn Ser Pro Thr Gly Gly Ser Pro 40

Pro Lys Trp Pro His Arg Gly Asn Pro Gln Ala Leu Leu Ala Leu Tyr

Cys Cys Val Val Phe Val Val Lys Phe Leu Val Tyr 70

<210> 40

<211> 146

<212> PRT

<213> Homo sapien

<400> 40

Ala Leu Ile Val Leu Gly Leu Val Leu Leu Ser Val Thr Val Gln Gly

Lys Val Phe Glu Arg Cys Glu Leu Ala Arg Thr Leu Lys Arg Leu Gly

Met Asp Gly Tyr Arg Gly Ile Ser Leu Ala Asn Trp Met Cys Leu Ala

Lys Trp Glu Ser Gly Tyr Asn Thr Arg Ala Thr Asn Tyr Asn Ala Gly 50

Asp Arg Ser Thr Asp Tyr Gly Ile Phe Gln Ile Asn Ser Arg Tyr Trp

Cys Asn Asp Gly Lys Thr Pro Gly Ala Val Asn Ala Cys His Leu Ser

Cys Ser Ala Leu Leu Gln Asp Asn Ile Ala Asp Ala Val Ala Cys Ala 105

Lys Arg Val Val Arg Asp Pro Gln Gly Ile Arg Ala Trp Val Ala Trp 115 120

Arg Asn Arg Cys Gln Asn Arg Asp Val Arg Gln Tyr Val Gln Gly Cys 135

Gly Val 145

<210> 41 <211> 34 <212> PRT <213> Homo sapien

<400> 41

Met Arg Lys Glu Ser Ala Asp Val Gly Tyr Asn Gly Ile Leu Ala Arg

Leu Trp Cys Gln Trp Ile Leu His Pro Thr Thr Ser Pro Cys Lys Ala 20 25

Lys Leu

<210> 42

<211> 80

<212> PRT

<213> Homo sapien

<400> 42

Met Phe Ala Cys Val Cys Cys Phe Gly Val Trp Cys Val Phe Gly Phe 10

31

Gly Val Val Cys Phe Val Phe Thr Leu Trp Phe Val Thr Glu Asn Trp
20 25 30

Gly Glu Trp Glu Pro Gly Asn Lys Ile Ser Thr Pro Arg Glu Pro Ala 35 40 45

Phe Gly Pro Gly Tyr Pro Gln Arg Leu Phe Phe Val Phe Cys Cys Val 50 55 60

Phe Phe Pro Val Asn Thr Lys Glu Gln Ile Phe Ile Glu Leu Val Gln 65 70 75 80

<210> 43

<211> 227

<212> PRT

<213> Homo sapien .

<400> 43

Thr Ser Gln Ala Asn Asn Ser Ala Ser Gly His Ser Arg Thr Thr Val 1 5 10 15

Lys Thr Ile Thr Val Ser Ala Asp Val Pro Lys Pro Ser Ile Ser Ser 20 25 30

Asn Asn Ser Lys Pro Val Glu Asp Lys Asp Ala Val Ala Phe Thr Cys 35 40 45

Glu Pro Glu Ala Gln Asn Thr Thr Tyr Leu Trp Trp Val Asn Gly Gln 50 55 60

Ser Leu Pro Val Ser Pro Arg Leu Gln Leu Ser Asn Gly Asn Arg Thr 65 70 75 80

Leu Thr Leu Phe Asn Val Thr Arg Asn Asp Ala Arg Ala Tyr Val Cys
85 90 95

Gly Ile Gln Asn Ser Val Ser Ala Asn Arg Ser Asp Pro Val Thr Leu
100 105 110

Asp Val Leu Tyr Gly Pro Asp Thr Pro Ile Ile Ser Pro Pro Asp Ser

Ser Tyr Leu Ser Gly Ala Asn Leu Asn Leu Ser Cys His Ser Ala Ser 130 135 140

32

Asn Pro Ser Pro Gln Tyr Ser Trp Arg Ile Asn Gly Ile Pro Gln Gln 145 150 155 160

His Thr Gln Val Leu Phe Ile Ala Lys Ile Thr Pro Asn Asn Gly
165 170 175

Thr Tyr Ala Cys Phe Val Ser Asn Leu Ala Thr Gly Arg Asn Asn Ser 180 185 190

Ile Val Lys Ser Ile Thr Val Ser Ala Ser Arg Thr Ser Pro Gly Leu 195 200 205

Ser Ala Gly Ala Thr Val Gly Ile Met Ile Gly Val Leu Val Gly Val 210 220

Ala Leu Ile 225

<210> 44

<211> 119

<212> PRT

<213> Homo sapien

<400> 44

Met Leu Glu Arg Arg Ser Val Met Asp Phe Phe Phe Phe Phe Phe Phe 1 5 10 15

Phe Phe Phe Phe Phe Phe Phe Phe Phe Leu Asn Pro Phe Phe Ser 20 25 30

Pro Pro Gly Gly Gly Val Val Gly Ser Ser Lys His Gln Ala Gln Glu 35 40 45

Glu Leu Gly Cys Val Pro Phe Leu Ala Ile Val Pro Pro Leu Glu Asn 50 55 60

Asn Thr Ser Thr Ile Phe His Leu Pro His Lys Ala Gly Gly Cys Thr 65 70 75 80

Ser Val Ala His Ile Val Val Ile Pro Val Val Cys Lys Ser Gly Leu 85 90 95

Leu Arg His Pro Ile Leu Pro Gln Asn Ile Ser Lys Lys Leu His Glu
100 105 110

WO 02/40673

33

His Asn Thr Pro Val Thr Arg

<210> 45

<211> 105

<212> PRT

<213> Homo sapien

<400> 45

Met Ser Val Ala Ser Val Pro Leu Gln Cys Asp Asp Val Arg Ser Leu 1 10 15

Gln Ala Leu Asn Ala Cys Pro His Met Ser Tyr Leu Cys Cys Gly Thr 20 25 30

Ser His Arg Gly Gln Ile Val Glu Ile Tyr Arg Val Thr Trp Tyr Leu 35 40 45

Leu Val Asn Cys Thr Thr Asn Ala Pro Val Tyr Met Gln Cys Ile Gly 50 55 60

Ile Val Lys Lys Phe Cys Pro Leu Pro Cys Ser His Gly Glu His Asn 70 75 80

Arg Gln Phe Ser Ser Pro Val Val His Leu Glu Gln Tyr Thr Ala Leu 85 90 95

Phe Ala Ile Asn Ile Tyr Arg Asn Ile 100 105

<210> 46

<211> 79

<212> PRT

<213> Homo sapien

<400> 46

Met Gly Pro Arg Leu Ser Gln Arg Pro Gly Ile Pro Pro Ile Leu Ser 1 5 10 15

Asn Asn Val Arg Val Leu Ser Leu Cys Leu Pro Ala Ile Val Ala Thr 20 25 30

Leu Leu Cys Arg Pro Glu Cys Ala Trp Ser Ser Leu Val Val Ala Leu 35 40 45

Asn Phe Phe Ser Leu Thr Thr Glu Gly Cys Ala Val Ala Ser Ala

34

60

50 55

Thr Leu Trp Glu Pro Gln Arg Gly Leu Thr Glu Arg Trp Gly Arg 70

<210> 47

<211> 74 <212> PRT <213> Homo sapien

<400> 47

Met Cys Leu Cys Gly Gly Asp Phe Met Cys Val Gly Arg Gly Ser Asp 5 10

Thr His Ser Val Cys Arg Thr Pro Pro Gly Gly His Tyr Arg Ser Phe 20

Leu Arg Pro Leu Ser Gly Thr Leu Ala Ser Glu Leu Cys Cys Tyr Leu

Ser Leu Phe Phe Val Cys Phe Leu Tyr Ser Phe Ser Leu Ser Leu Val

Tyr Gly Gln Asn Ser Ser Arg Leu Ser Met

<210> 48

<211> 59

<212> PRT

<213> Homo sapien

<400> 48

Met Phe Cys Gln Cys Cys Ser Cys Val Val Met Val Leu Arg His Leu

Thr Ser Ala Phe Phe Ala Val Pro Gly Ala Phe Cys Leu Ala Ser Phe 25

Val Ser Thr Cys Cys Leu Ser Val Leu Leu Phe Ser Arg Asp Ser Arg

Gly Ile Tyr Arg Ile Tyr Arg Leu Phe Asp Val

<210> 49

<211> 60

PCT/US01/45180

<212> PRT

WO 02/40673

<213> Homo sapien

<400> 49

Met Pro Glu Ser Asn Gly Pro Arg Ser Asp Arg Gln Thr Arg Val Arg

Ala Val Ile Arg Ser Ala Val Glu Gly Gly Arg His Val Gln Tyr Asp 20

Ala Asp Gln Ile Asp Ala Asn Asn Trp Ser Lys Cys Ser Thr Thr Lys 40

Gly Ala Leu Arg Ala Arg Arg His Cys Arg Leu Val 55

<210> 50 <211> 1134 <212> PRT <213> Homo sapien

<400> 50

Arg Leu Ala Leu Ser Pro Glu Asp Lys Pro Ile Arg Leu Ser Pro Ser 10

Lys Ile Thr Glu Pro Leu Arg Glu Gly Pro Glu Glu Glu Pro Leu Ala 25

Glu Arg Glu Val Lys Ala Glu Val Glu Asp Met Asp Glu Gly Pro Thr

Glu Leu Pro Pro Leu Glu Ser Pro Leu Pro Leu Pro Ala Ala Glu Ala 55 60

Met Ala Thr Pro Ser Pro Ala Gly Gly Cys Gly Gly Gly Leu Leu Glu 75

Ala Gln Ala Leu Ser Ala Thr Gly Gln Ser Cys Ala Glu Pro Ser Glu

Cys Pro Asp Phe Val Glu Gly Pro Glu Pro Arg Val Asp Ser Pro Gly

Arg Thr Glu Pro Cys Thr Ala Ala Leu Asp Leu Gly Val Gln Leu Thr 120

Pro	Glu 130	Thr	Leu	Val	Glu	Ala 135	Lys	Glu	Glu	Pro	Val 140	Glu	Val	Pro	Val
Gly 145	Val	Pro	Val	Val	Glu 150	Ala	Val	Pro	Glu	Glu 155	Gly	Leu	Ala	Gln	Val 160
Ala	Pro	Ser	Glu	Ser 165	Gln	Pro	Thr	Leu	Glu 170	Met	Ser	Asp	Cys	Asp 175	Val
Pro	Ala	Gly	Glu 180	Gly	Gln	Cys	Pro	Ser 185	Leu	Glu	Pro	Gln	Glu 190	Ala	Val
Pro	Val	Leu 195	Gly	Ser	Thr	Cys	Phe 200	Leu	Glu	Glu	Ala	Ser 205	Ser	Asp	Gln
Phe	Leu 210	Pro	Ser	Leu	Glu	Asp 215	Pro	Leu	Ala	Gly	Met 220	Asn	Ala	Leu	Ala
Ala 225	Ala	Ala	Glu	Leu	Pro 230	Gln	Ala	Arg	Pro	Leu 235	Pro	Ser	Pro	Gly	Ala 240
Ala	Gly	Ala	Gln	Ala 245	Leu	Glu	Lys	Leu	Glu 250	Ala	Ala	Glu	Ser	Leu 255	Val
Leu	Glu	Gln	Ser 260	Phe	Leu	His	Gly	Ile 265	Thr	Leu	Leu	Ser	Glu 270	Ile	Ala
Glu	Leu	Glu 275	Leu	Glu	Arg	Arg	Ser 280	Gln	Glu	Met	Gly	Gly 285	Ala	Glu	Arg
Ala	Leu 290	Val	Ala	Arg	Pro			Glu			Leu 300		Ala	Gly	Ser
His 305	Met	Leu	Arg	Glu	Val 310	Leu	Asp	Gly	Pro	Val 315	Val	Asp	Pro	Leu	Lys 320
Asn	Leu	Arg	Leu	Pro 325	Arg	Glu	Leu	Lys	Pro 330	Asn	Lys	Lys	Tyr	Ser 335	Trp
Met	Arg	Lys	Lys 340	Glu	Glu	Arg	Met	Tyr 345	Ala	Met	ГÀ̀в	Ser	Ser 350	Leu	Glu

Asp Met Asp Ala Leu Glu Leu Asp Phe Arg Met Arg Leu Ala Glu Val 355 360 365

Gln Arg Gln Tyr Lys Glu Lys Gln Arg Glu Leu Val Lys Leu Gln Arg 370 375 380

Arg Arg Asp Ser Glu Asp Arg Arg Glu Glu Pro His Arg Ser Leu Ala 385 390 395 400

Arg Arg Gly Pro Gly Arg Pro Arg Lys Arg Thr His Ala Pro Ser Ala 405 410 415

Leu Ser Pro Pro Arg Lys Arg Gly Lys Ser Gly His Ser Ser Gly Lys
420 425 430

Leu Ser Ser Lys Ser Leu Leu Thr Ser Asp Asp Tyr Glu Leu Gly Ala 435 440 445

Gly Ile Arg Lys Arg His Lys Gly Ser Glu Glu Glu His Asp Ala Leu 450 455 460

Ile Gly Met Gly Lys Ala Arg Gly Arg Asn Gln Thr Trp Asp Glu His 465 470 475 480

Glu Ala Ser Ser Asp Phe Ile Ser Gln Leu Lys Ile Lys Lys Lys 485 490 495

Met Ala Ser Asp Gln Glu Gln Leu Ala Ser Lys Leu Asp Lys Ala Leu 500 505 510

Ser Leu Thr Lys Gln Asp Lys Leu Lys Ser Pro Phe Lys Phe Ser Asp 515 520 525

Ser Ala Gly Gly Lys Ser Lys Thr Ser Gly Gly Cys Gly Arg Tyr Leu 530 540

Thr Pro Tyr Asp Ser Leu Leu Gly Lys Asn Arg Lys Ala Leu Ala Lys 545 550 560

Gly Leu Gly Leu Ser Leu Lys Ser Ser Arg Glu Gly Lys His Lys Arg 565 570 575

Ala Ala Lys Thr Arg Lys Met Glu Val Gly Phe Lys Ala Arg Gly Gln 580 585 590

Pro Lys Ser Ala His Ser Pro Phe Ala Ser Glu Val Ser Ser Tyr Ser

Tyr Asn Thr Asp Ser Glu Glu Asp Glu Glu Phe Leu Lys Asp Glu Trp Pro Ala Gln Gly Pro Ser Ser Ser Lys Leu Thr Pro Ser Leu Leu Cys Ser Met Val Ala Lys Asn Ser Lys Ala Ala Gly Gly Pro Lys Leu Thr Lys Arg Gly Leu Ala Ala Pro Arg Thr Leu Lys Pro Lys Pro Ala Thr Ser Arg Lys Gln Pro Phe Cys Leu Leu Leu Arg Glu Ala Glu Ala Arg Ser Ser Phe Ser Asp Ser Ser Glu Glu Ser Phe Asp Gln Asp Glu Ser Ser Glu Glu Glu Asp Glu Glu Glu Glu Glu Glu Glu Asp Glu Ala Ser Gly Gly Gly Tyr Arg Leu Gly Ala Arg Glu Arg Ala Leu Ser Pro Gly Leu Glu Glu Ser Gly Leu Gly Leu Leu Ala Arg Phe Ala Ala Ser Ala Leu Pro Ser Pro Thr Val Gly Pro Ser Leu Ser Val Val Gln Leu Glu Ala Lys Gln Lys Ala Arg Lys Lys Glu Glu Arg Gln Ser Leu Leu Gly Thr Glu Phe Glu Tyr Thr Asp Ser Glu Ser Glu Val Lys Val Arg Lys Arg Ser Pro Ala Gly Leu Leu Arg Pro Lys Lys Gly Leu Gly Glu Pro Gly Pro Ser Leu Ala Ala Pro Thr Pro Gly Ala Arg Gly Pro Asp

Pro Ser Ser Pro Asp Lys Ala Lys Leu Ala Val Glu Lys Gly Arg Lys 835 840 845

Ala Arg Lys Leu Arg Gly Pro Lys Glu Pro Gly Phe Glu Ala Gly Pro 850 855 860

Glu Ala Ser Asp Asp Asp Leu Trp Thr Arg Arg Arg Ser Glu Arg Ile 865 870 875 880

Phe Leu His Asp Ala Ser Ala Ala Ala Pro Ala Pro Val Ser Thr Ala `
885 890 895

Pro Ala Thr Lys Thr Ser Arg Cys Ala Lys Gly Gly Pro Leu Ser Pro 900 905 910

Arg Lys Asp Ala Gly Arg Ala Lys Asp Arg Lys Asp Pro Arg Lys Lys 915 920 925

Lys Lys Gly Lys Glu Ala Gly Pro Gly Ala Gly Leu Pro Pro Pro Arg 930 935 940

Ala Pro Ala Leu Pro Ser Glu Ala Arg Ala Pro Pro Pro Pro Pro 945 950 955 960

Leu Pro Leu Arg Leu Pro Pro Leu Pro Pro Pro Leu Pro Arg Pro 980 985 990

His Pro Pro Pro Pro Pro Pro Leu Pro Pro Leu Leu Pro Pro Gln
995 1000 1005

Thr Arg Thr Leu Pro Ala Ala Arg Thr Met Arg Gln Pro Pro Pro 1010 1015 1020

Pro Arg Leu Ala Leu Pro Arg Arg Arg Arg Ser Pro Pro Arg Pro 1025 1030 1035

Pro Ser Arg Pro Ala Arg Arg Gly Pro Arg Pro Thr Pro Gln Ala 1040 1045 1050

Arg Arg Pro Arg Pro Ser Pro Arg Arg Leu Leu Arg Ser Pro 1055 1060 1065

40

His Ser Leu Cys Ser Pro Arg Leu Arg Pro Gly Pro Arg Ala Asp 1070 1075 1080

Pro Arg Arg Glu Arg Ala Ser Thr Ser Pro Pro Pro Arg Ser Trp 1085 1090 1095

Pro Ser Gly Ser Ala Cys Arg Pro Trp Arg Thr Gly Pro Arg Ser

Pro Pro Ser Cys Gln Pro Gly Ser Ser Gly Ser Gly Ser Ala Ser 1115 1120 1125

Pro Pro Ser Gly Val Ala 1130

<210> 51

<211> 29

<212> PRT

<213> Homo sapien

<400> 51

Met Gly Arg Cys Val Ser Leu Thr Ser Val Ile Ile Phe Asp Ile Leu 1 5 10 15

Ser Val Tyr Tyr Glu Thr Leu Ala Ser Leu Gln Ile Phe 20 25

<210> 52

<211> 161

<212> PRT

<213> Homo sapien

<400> 52

Val Ala Ile Pro Pro Leu Thr His Asn Leu Ser Ala Val Ala Pro Ser 1 5 10 15

Ile Asn Ser Gly Met Gly Thr Glu Thr Ile Pro Ile Gln Gly Tyr Arg

Val Asp Glu Lys Thr Lys Lys Cys Ser Ile Pro Phe Val Lys Pro Asn 35 40 45

Arg His Ser Pro Ser Gly Ile Tyr Asn Ile Asn Val Thr Thr Leu Val 50 55 60

41

Ser Ser Glu Lys Asn Leu Leu Trp Ala Ser Lys Lys Arg Arg Glu Tyr

Ser Arg Thr Asp Val Arg Leu Pro Glu Leu Asn Tyr Asn His Leu Pro , 90

Glu Leu Arg Ala Leu Gly Gly Ile Ala Arg Asn Ser Arg Leu Thr Lys 105

Lys Glu Ser Lys Ile Leu Ser Glu Ser Arg Ile Pro Ser Leu Ala Ala 115 120

Ile Asp Leu His Thr Pro Ser Ile Thr Leu His Gln Val Ser Gly Pro 135

Pro Leu Ser Asp Asp Ser Gly Ala Asp Leu Pro Gln Met Glu His Gln 150 155

His

<210> 53

<211> 33

<212> PRT

<213> Homo sapien

<400> 53

Met Asn Tyr Cys Leu Lys Thr Ser Ser Thr Ser Gln Ser Thr Thr Ala 5

Thr Ser Ile Cys Lys Asn His Tyr Leu Leu Tyr Val Leu Trp Tyr Leu 20

Gly

<210> 54

<211> 89 <212> PRT <213> Homo sapien

<400> 54

Met Val Ser Ile Lys Ser Leu Leu Phe Glu Ser Tyr Val His Gly Pro 5

Ala Val Val Arg Phe Ser Ala Leu Gln Leu Pro Asp Thr Phe Gly Arg

Ę

42

20

25 .

30

Pro Met Ala Glu Arg Thr Arg Leu Ser Pro Gly Val Arg Ala Pro Ala

Trp Ala Thr Tyr Val Gly Thr Pro Ser Arg Gly Phe Leu Leu Tyr

Glu Lys Lys Gln Ile Ser Val Ala Lys Thr Leu Leu Gln Thr Thr Arg

Glu Ala His Arg Asn Thr Val Ser Tyr 85

<210> 55

<211> 110 <212> PRT <213> Homo sapien

<400> 55

Met Val Gln His Arg Cys Met Leu Glu Arg Arg Val Val Met Asp Ala 10

Trp Ser Arg Pro Arg Tyr Ser Thr Ser Asn Phe Pro Arg Asn Gln Lys

Asn Gly Glu Gln Val Leu Val Ser Gln Tyr Ser Ala Ser Val Tyr Thr

Leu Gly Gln Gly Gln Ile Phe Pro Gly Glu Gly Phe Tyr His Cys His 50

His Leu Glu Ile Leu His Arg Leu Glu His Arg Ala Ile Asp Phe His 65

Phe Cys Thr Gln Leu Cys Ser Glu Thr Gly Ala Ile Gly Val Leu Gly

Glu Thr Gly Gln Met Glu Glu Val Glu Gly Ile Cys Thr Leu 100